



User Manual

UltimateX 

Green Plea

Thank you for purchasing the Monroe UltimateX. Monroe calculators are well known for their durability and longevity. We expect you'll be enjoying your new Monroe UltimateX for years to come, as the "throwaway" calculator philosophy has never found traction here at Monroe.

Please dispose of the old calculator this UltimateX replaces in a responsible manner. Then when it comes time to say goodbye to this one, please do the same. Also, please recycle the gift box and other packing material.

The bag protecting your new Monroe UltimateX is reusable.

Disposal options to consider:

- Donate your old calculator to a deserving organization.
- Take your old calculator to an appropriate disposal and recycling center.
- Or, upon receipt of your new calculator, pack the old calculator in the new calculator box and return it to Monroe. We'll handle the proper disposal.

Contacting Monroe

Monroe Systems for Business, Inc

Phone: 888-666-7631
Fax: 877-666-7635

Email: csr@monroe-systems.com
Web Site: www.monroe-systems.com

Record Your Serial Number

Please record the Serial Number of your new calculator and the date received in the space provided below. Retain this instruction booklet for your records and future reference.

UltimateX

Serial Number

Installation Date

Registering Your Warranty

The UltimateX is backed by a comprehensive 6 month Limited Warranty that covers parts and labor. The same comprehensive protection can be extended with a Monroe Maintenance Agreement, renewable annually. To register the warranty and/or learn more about the Monroe Maintenance Agreement.

Call: 888-666-7631

Email: csr@monroe-systems.com

Contact: www.monroe-systems.com

(Please provide model number
and serial number.)

Warning

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult an experienced radio/TV technician for help.

If necessary, the user should consult Monroe or an experienced radio/TV technician for additional suggestions.

About

the UltimateX

More than a century has passed since Jay R. Monroe introduced the first commercial calculator to the business community. At the time his vision was “to manufacture a machine to turn out routine figures; one that would add and subtract, multiply and divide with equal ease and would produce the answers almost as fast as they can be written down; that would be simple and practically foolproof to operate, with all factors used visible on the machine so the operator would know the answers were correct.” “Such a machine” thought Monroe, “would greatly increase the efficiency of the office worker and would be a tremendous boon to the executive”. While it would be hard to describe the first Monroe as “fast” by today’s standards, it was certainly a huge advance, as all computations were performed manually at the time.

The Monroe UltimateX is the beneficiary of that century of experience working directly with America’s premier businesses. Working directly means a Monroe sales representative has been in virtually every business. That representative has observed all figure-work routinely performed in that office and provided feedback to Monroe’s planning department for improvements in future products. Those improvements have always set the Monroe calculator apart from all others, as no other

calculator company works directly with end users. This first hand interaction with business has resulted in unique, ground breaking features to simplify the work routinely encountered in business. Nowhere is this legacy more apparent than the Monroe UltimateX.

About Monroe

The rich heritage of Monroe spans nearly a century. Established in 1912 by Jay R. Monroe, the company introduced the first commercially available calculator. While much has changed in the intervening years the founding philosophy of providing superior products combined with outstanding customer service remains the cornerstone of Monroe's success.

We recognize that customers are the only reason we exist. It is not surprising therefore that today's Monroe places major emphasis on continuously improving the value we deliver to our customers. We count our customers by the thousands, yet treat each customer as though they were our only customer. We measure our value in the longevity of our relationships, many of which span decades.

With a string of firsts unparalleled in the industry, Monroe is clearly the definitive calculator product line. From the "first" commercial calculator to today's unprecedented models, Monroe calculators have always set the standard.

If you are looking for a company whose business ethic embraces quality of product, quality of service, quality of people and dedication to customer satisfaction, you need look no further than Monroe.

Table of Contents

Getting Started	8		
Remove Foam Pad	8	Using the C/CE Key	38
Installing Paper Roll	9	Percentages	39
Changing a Ribbon	10	Percent Increase	40
Changing the Battery	11	Percent Decrease	41
Proper Care and Maintenance	12	Accumulative Results, =+ and ==	42
UltimateX Overview	14	Independent Memory	43
Keyboard Diagram	14	Changing the Sign of a Number	44
Major Key Groupings	16	Square Root	45
Slide Switches	18	Storing a Tax Rate	46
Factory Default Settings	19	Computing Tax	47
Definable Settings	20	Using the Tax Key to	
Definable Keys	22	Compute before Tax Cost	48
Basic Operations	24	Setting the Time and Date	49
Addition and Subtraction	25	Time and Date Stamping the Tape	50
Repeat Addition and Subtraction	26	Running ◊ Displayed	51
Addition and Subtraction with N Count	27	Basic Editing Functions	52
Addition and Subtraction with N Count,		Advanced Operations	54
Intelligent N Count and Automatic Average	28	Using the Definable Settings	55
Group and Grand Total	29	$\sum X$	56
Group and Grand Total with N Count	30	$\sum T$	57
Printing a reference number or date	31	Running ◊ Printed	58
Back Space, Error Correction	32	Basic Two Column Addition	59
Multiplication and Division	33	Truncate	60
Constant Multiplication	34	Round Up	61
Constant Division	35	Automatic Incrementing	
Calculator Mode Correction	36	Identification Numbers	62
Chain Multiplication and Division	37	$\sum M$	63
		Print All Defined Functions	64

Price/Price Mode	66
Units/Price Mode	67
Price/Units Mode	68
Variable Add Mode	70
Nickel Rounding	71
Paper Saver Mode	72
Tax Key for Discount	73
Clearing all Definable Settings	74
Setting International Punctuation	75
Setting International Date Format	76
Setting 24 Hour Clock Format	77
Using the User Definable Keys	79
Finance	80
Currency Conversion	88
VAT Tax	92
Discounted Tax	96
Time Card	100
Cost/Sell/Margin -	
Reciprocal - Percent Change	104
Memory II - RV	108
Spreadsheet/Crossfooting	112
Advanced Functions	120
Automatic Two Column Addition Variations	121
Changing to a Time Calculator	126
Advanced Σ M	130
Glossary of Features	136
Limited Warranty	145

Getting Started

REMOVE THE RIBBON CUSHION!

To protect the print mechanism and secure the ribbon in position during shipment a foam pad lies between the ribbon and the printer door.

REMOVE THIS FOAM PAD BEFORE OPERATING!

Failure to remove this pad will result in misoperation and possible damage to the calculator.


WARNING
HAZARD OF ELECTRICAL SHOCK.
NO USER SERVICEABLE PARTS ARE
CONTAINED INSIDE. ALL SERVICING
MUST BE DONE BY A QUALIFIED
SERVICE PERSON.

The socket-outlet shall be installed near the equipment and easily accessible.


Changing the Paper Tape

To ensure ease of installation, read the instructions completely before installing a new paper roll. Then follow the instructions step-by-step.

1. Tear off excess paper at the tear-off knife.
2. To remove cover, place thumbs on serrated surfaces located on each side of the cover. Pressing down with your thumbs, slide the top cover toward the back of the calculator. Once the cover has been pushed back approximately 1", lift the cover off.



3. Lift up and remove old paper roll from the paper roll holders. Tear off paper between the used paper roll and the printer. Pull remaining paper through the printer by continuously lifting the leading edge (nearest display).





4. With the leading edge of the new paper roll, feeding from the bottom, place the new roll into position between the two flexible paper roll holders.



5. Feed the paper into the rear of the printer mechanism until it meets resistance (approximately 1 to 1.5 inches). Depress the paper advance button until the paper extends several inches beyond the printer mechanism.


6. Feed the paper through the opening of the tear-off knife and lay top cover flat on the calculator leaving a 1" overhang at the back of the top cover. Apply a firm downward and forward pressure, slide the top cover forward until it snaps into position.
7. Tear off any excess paper.



Changing the Ribbon

Changing the Ribbon

Use the Monroe P65M Ribbon




1. Remove excess paper tape.
2. Remove the printer cover. (Note how ribbon feeds from outside of spools, around guides and between print wheels and platen, black band up.)
3. Lift out spool that is not engaged by lever; then move lever aside and lift out other spool.
4. Holding new spools over spindles with black band up and exposed portion of ribbon on side nearest print wheels, place one spool on spindle not engaged by lever. Rotate spools to be sure its pins engage in spindle gear.
5. Thread ribbon around guides and between print wheels and platen.
6. Install other spool and rotate to engage spindle gear and also to take up slack in ribbon.
7. Replace printer cover.

Changing the Battery

The UltimateX is battery supported. This eliminates the need to re-enter date, time and other custom functions enabled through the “define key”. When the life of the battery is exhausted, the “define key” functions will be lost and the battery must be replaced. When replacing the battery, be sure to follow the steps below.

- Turn the AC power switch off.
- Remove the battery compartment cover located on the bottom right of the calculator case.
- Remove the used battery, using a pen, push the battery to the right as far as possible, using your finger, slide the battery to the right until it clears the battery holder.
- Dispose of used battery in accordance with government regulations
- Install the new battery, using **CR2025** or Monroe recommended equivalent battery only. Orient the replacement battery **so the + symbol is on the top** and slide fully to the left.
- Press the **RESET** button using a pen.
- Replace the battery compartment cover.
- Turn on the AC power switch.
- Restore your Define Key functions.



CAUTION
RISK OF EXPLOSION IF BATTERY IS
REPLACED BY INCORRECT TYPE.
DISPOSE OF USED BATTERIES
ACCORDING TO THE INSTRUCTION.


Proper Care & Maintenance

1. Avoid locating and using the calculator in direct sunlight. Areas of high humidity, rapid temperature fluctuations and dirt should also be avoided.
2. Use a dry cloth to clean the calculator case parts. Do not use water, detergents, or solvents.
3. Do not place objects on the calculator. Avoid performing office functions, such as stapling, above the unit.
4. To preserve the brightness of the display, turn the UltimateX off when not in use. Use the dust cover to keep your calculator clean.
5. Prior to unplugging the calculator make sure the calculator has been turned off.
6. Repairs should be performed by trained technicians. There are no user serviceable parts in this unit. **DO NOT ATTEMPT TO DISASSEMBLE THIS UNIT IN ANY WAY.**
7. **THIS CALCULATOR SHOULD NOT BE USED IN OR NEAR WATER.**
8. The socket-outlet shall be installed near the equipment and shall be easily accessible.
9. This equipment is not suitable for use in locations where children are likely to be present.
10. Keep new and used batteries away from children.
11. If the batteries compartment does not close securely, stop using the product and keep it away from children.
12. If you think batteries might have been swallowed or place inside any part of the body, seek immediate medical attention.

Monroe Ultimate Overview

KEYBOARD DIAGRAM

- | | | | |
|----|--|----|---------------------|
| 1 | Paper Advance Key | 28 | Adding Machine Lamp |
| 2 | Decimal Selector | 29 | Grand Total Lamp |
| 3 | User Definable Keys | | |
| 4 | Display, Print/Display, n Count, Time Switch | | |
| 5 | Subtotal/Grand Total Switch | | |
| 6 | Define Key | | |
| 7 | Tax Key | | |
| 8 | Change Sign Key | | |
| 9 | Time/Date Key | | |
| 10 | Memory One Total Key | | |
| 11 | Memory One Subtotal Key | | |
| 12 | Memory One Minus Key | | |
| 13 | Memory One Plus Key | | |
| 14 | Equals Minus Key | | |
| 15 | Equals Plus Key | | |
| 16 | Percent Key | | |
| 17 | Clear/Clear Entry Key | | |
| 18 | Backspace Key | | |
| 19 | Divide Key | | |
| 20 | Equals Key | | |
| 21 | Times Key | | |
| 22 | Numeric Keypad | | |
| 23 | Minus Key | | |
| 24 | Plus Key | | |
| 25 | Reference Number Key | | |
| 26 | Subtotal Key | | |
| 27 | Total Key | | |



Major Key Groupings

ADDING MACHINE - A

The keys in this grouping are referred to as the Adding Machine Controls. This portion of the UltimateX will be referred to as the Adding Machine, or Accumulator. Accumulation takes place in the adding machine through entry and depression of the plus or minus keys. The \diamond key recalls and prints/displays the contents of the adding machine, but does not clear the adding machine. The * key recalls and prints/displays the contents of the adding machine and clears it's contents.

* (TOTAL KEY) - B

THIS IS THE ONLY KEY THAT CAN CLEAR THE CONTENTS OF THE ADDING MACHINE/ACCUMULATOR.

NUMERIC KEYPAD - C

Includes 0 – 9, 00 and decimal point keys.

CALCULATOR CONTROLS - D

The keys in this grouping are referred to as the Calculator Controls. This side of the UltimateX is the calculator portion. **NOTE: THE CALCULATOR AND THE ADDING MACHINE ARE COMPLETELY SEPARATE AND INDEPENDENT.**

C/CE - E

Clears a live entry or pending calculation.

NOTE: THE C/CE KEY DOES NOT CLEAR THE ADDING MACHINE/ACCUMULATOR.

ACCUMULATOR KEYS - F

The $=+$ and $=-$ keys are accumulator keys. During normal operation they complete a calculation and store the results of that calculation in the adding machine. The adding machine (A) and accumulation keys (D) combine to create the Accumulator.

INDEPENDENT MEMORY - G

The keys in this grouping comprise the Independent Memory.

USER DEFINED KEYS - H

Optional functions available. Pressing the Define Key twice and entering a code re-defines these five user Definable Keys.

DEFINE KEY - I


Enables the optional functionality and/or defines the function of the five User Definable Keys.

ADDING MACHINE LAMP - J

Illuminates when an amount is in the Adding Machine.

GRAND TOTAL LAMP - K


Illuminates when an amount is in the Grand Total Memory



Slide Switches


DECIMAL SELECTOR SWITCH

Allows selection of up to nine decimal settings +, F, 0, 1, 2, 3, 4, 6. For example, when set at 2, all totals and results will contain two decimal places; at 0 no decimals will be printed or displayed. In Floating (F) decimal setting, results are expressed at maximum decimal accuracy. When working with dollars and cents, the Decimal Selector can be set at Add Mode (+), eliminating the need to enter the decimal point.




D/N/PD TIME SELECTOR SWITCH

Allows the UltimateX to be operated in Display only mode (d position), Print and Display mode (pd), Print and Display mode with n count (n) or time. In the time position, the UltimateX assumes entries are hours and minutes and operates in time clock mode.



◇/■/GT SELECTOR SWITCH

This switch allows three choices. The ◇ position stands for “running subtotal”. The ■ position is the neutral/off position, and the gt position stands for “group and grand total”.



Factory Default Settings

The UltimateX has a number of optional features and functions that may be enabled as illustrated in the next section. Certain Settings are referred to as “default settings”, i.e. when you receive the UltimateX, it comes with these settings from the factory.

US PUNCTUATION

Numbers are formatted with commas separating thousands and a decimal point separating dollars and cents, e.g. 1,234.15.

US DATE FORMAT

It is assumed that entry of date and any calculation based upon dates will be mm.dd.yyyy.

12 HOUR CLOCK

It is assumed that the time clock calculations are based on 12 hour clock format. NOTE: In this format entries can be made in 24 hour clock format, but results will be in 12 hour format.

UNITS/UNITS MODE

If the decimal is at + (add mode), multiplying 12 x 5 for example will be accepted as whole number times whole number.

TAX KEY

If a rate is stored with the tax key, the calculation will be assumed VAT, i.e., tax will compute the amount prior to the addition of that tax rate amount.

EDITING KEYS

The five user definable keys are defined with the editing function.



ROUNDING



5/4 rounding is assumed.


































Definable Functions

The UltimateX contains a number of user selectable internal options. These settings can simplify routine calculations, save unnecessary steps and permit the user to adapt the UltimateX to their specific tasks. These internal functions are activated by pressing the Define Key twice followed by the numeric or function key shown below.

define	define	1	ΣX	Sum of 1st factor (x or \div)
define	define	2	ΣT	Sum = and % results
define	define	3	Running \Diamond Print	Print \Diamond after entry
define	define	4	Two Column Addition	Add two columns simultaneously
define	define	5	Truncate	Rounding Disabled
define	define	6	Round Up	Round up to decimal point.
define	define	7	Set Identifier	Auto incrementing identification numbers
define	define	8	ΣM	Sum =, %, elapsed time and taxes
define	define	9	Print Defined Functions	Print current enabled functions
define	define	0	Price/Price	1st/2nd entries - dollars/cents
define	define	00	Units/Price	1st entry whole number, 2nd entry dollar/cents

A single depression of the  key will cause the display to flash SETUP left justified. Press  a second time followed by the applicable key illustrated below to activate the desired function.

Note: Pressing the  key once followed by any other key than  will terminate the procedure to enable a special function.

   	Price/Units	1st entry dollar/cents, 2nd entry whole number
  	Variable Add Mode	Preset automatic decimal place entries
  	Nickel Rounding	Round to the nearest Nickel
  	Paper Saver Mode	Eliminates extra spacing after totals
  	Discount	Percentage decrease
  	Crossfooting	Automatically sums columns and rows
  	Clear All Defined Functions	Reset to default settings
  	International Punctuation	Change numeric format to 1.234,56
   	International Date	Change date format to dd.mm.yyyy
   	24 Hour Clock	Change clock format to 24 hour clock

Definable Keys








Definable keys are the five keys located just below the display. They appear on the calculator as shown below.



These keys may be redefined to perform alternate functions.

These keys can be changed to the corresponding function by depressing the **define** key twice and the matching sequence below. By default the keys are set to the editing functions.

Finance	define	define	■	1
Currency Conversion	define	define	■	2
VAT Tax	define	define	■	3
Discount Tax	define	define	■	4
Time Card	define	define	■	5
Editing	define	define	■	7
Profit/Margin	define	define	■	8
Memory II	define	define	■	9
Spreadsheet	define	define	■	*

					
FINANCE	FV	PV	Rate	Term	Payment
CURRENCY CONV.	Home	C1	C2	C3	C4
VAT TAX	Tax 1	Tax 2	Tax 3	Tax 4	Tax 5
DISCOUNT TAX	Tax 1	Tax 2	Tax 3	Tax 4	Tax 5
TIME CARD	Start	End	Elapsed	Days	Dec. Equiv
EDITING			Replace	Insert	Reprint
PROFIT/MARGIN	Cost	Sell	Margin	1/X	% Δ
MEMORY II	M*	M◊	M–	M+	RV
SPREADSHEET	Total	Column	Row	Skip	Jump To

Basic Operations

When the UltimateX On/Off switch is moved to the On position, the audit trail C * will print.



NOTE: PREVIOUSLY DEFINED INTERNAL FUNCTIONS AND PREVIOUSLY DEFINED SPECIAL FUNCTIONS, DATE AND TIME ARE RETAINED.

Addition and Subtraction	25	Calculator Mode Correction	36
Repeat Addition and Subtraction	26	Chain Multiplication and Division	37
Addition and Subtraction with N Count	27	Using the C/CE Key	38
Addition and Subtraction with N Count,		Percentages	39
Intelligent N Count and Automatic Average	28	Percent Increase	40
Group and Grand Total	29	Percent Decrease	41
Group and Grand Total with N Count	30	Accumulative Results, =+ and =-	42
Printing a reference number or date	31	Independent Memory	43
Back Space, Error Correction	32	Changing the Sign of a Number	44
Multiplication and Division	33	Square Root	45
Constant Multiplication	34	Storing a Tax Rate	46
Constant Division	35	Computing Tax	47
		Using the Tax Key to Compute before Tax Cost	48
		Setting the Time and Date	49
		Time and Date Stamping the Tape	50
		Running Subtotal Display	51
		Basic Editing Functions	52

Addition & Subtraction

SWITCH SETTINGS

+F012346

  gt

d n pd time

EXAMPLE
2.77 + 14.98 – 3 = 14.75

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	When the Decimal Selector is in the + position (add mode) there is no need to depress the decimal point key when adding dollars and cents.
1498	<div>+</div>	14.98 +	
3.	<div>–</div>	3.00 –	The Decimal Point Key may be pressed during any entry. Doing so overrides add mode entry, placing the decimal point where needed.
	<div>*</div>	14.75 *	
			The first entry into a clear accumulator prints with a unique audit trail symbol; C+ if positive, C– if negative and C* if completed by =+ or =–.

Repeat Addition & Subtraction

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
 $2.77 + 14.98 + 14.98 - 3 = 29.73$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	To repeat an entry, simply press either + or – again for the entry to be repeated.
1498	<div>+</div>	14.98 +	
	<div>+</div>	14.98 +	
3.	<div>–</div>	3.00 –	
	<div>*</div>	29.73 *	

Addition & Subtraction With N Count

SWITCH SETTINGS

+F012346

◊ ■ gt

d n pd time

EXAMPLE

2.77 + 14.98 - 3 = 14.75

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	When the d/pd/n switch is in the n position, the entries are counted. The number of entries prints in red on the left side of the tape when ◊ or * is pressed.
1498	<div>+</div>	14.98 +	
3.	<div>-</div>	3.00 -	
	<div>*</div> 003	14.75 *	

Addition & Subtraction with Intelligent N Count & Automatic Average

SWITCH SETTINGS

+F012346

◇ ■ gt

d n pd time

EXAMPLE

2.77 – 2.77 + 14.98 – 3.00 = 11.98 - AVERAGE = 5.99

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	When the d/pd/n switch is in the n position, intelligent n count and automatic averaging are enabled. Intelligent n count simply means, if a number is entered and the plus key pressed, an immediate depression of minus assumes the entry was made in mistake and is being corrected.
	<div>–</div>	2.77 –	
1498	<div>+</div>	14.98C+	
3.	<div>–</div>	3.00 –	Therefore the n count will not reflect the correction.
	<div>*</div>	002	
	<div>=</div>	11.98 *	
		5.99A	A depression of the = key following a depression of the ◇ or * key when n count is on will automatically calculate and print the average of the entries.

Group & Grand Total

SWITCH SETTINGS

+F012346

◆ ■ gt

d n pd time

EXAMPLE
 $(2.77 - 2.77 + 14.98 - 3.00) + (5.25 + 6.35 + 8.00) = 31.58$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	When the ◆ ■ gt switch is in the gt (grand total) position, any entry made to the adding machine is repeated in the grand total memory. The first depression of the * key recalls and prints the sum in the adding machine, depressing the * key again immediately thereafter, prints the sum in the grand total memory.
	<div>-</div>	2.77 -	
1498	<div>+</div>	14.98C+	
3.	<div>-</div>	3.00 -	
	<div>*</div>	11.98 *	
525	<div>+</div>	5.25C+	
635	<div>+</div>	6.35 +	
8.	<div>+</div>	8.00 +	
	<div>*</div>	19.60 *	
	<div>*</div>	31.58G*	

Group & Grand Total with N Count & Automatic Average

SWITCH SETTINGS

+F012346

◇ ■ gt

d n pd time

EXAMPLE

$$(2.77 - 2.77 + 14.98 - 3.00) + (5.25 + 6.35 + 8.00) = 31.58 \text{ - AVERAGE} = 6.32$$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
277	<div>+</div>	2.77C+	The number of items in each column is counted as well as the total number of items in the grand total memory.
	<div>-</div>	2.77 -	
1498	<div>+</div>	14.98C+	A depression of the = key following a depression of the ◇ or * key when n count is on will automatically calculate and print the average of the entries.
3.	<div>-</div>	3.00 -	
	<div>*</div> 002		
		11.98 *	
525	<div>+</div>	5.25C+	
635	<div>+</div>	6.35 +	
8.	<div>+</div>	8.00 +	
	<div>*</div> 003		
		19.60 *	
	<div>*</div> 005		
		31.58G*	
	<div>=</div>	6.32 A	

Printing a Date or Reference Number

SWITCH SETTINGS

 +F012346

  gt

 d n pd time

EXAMPLE

REF # 15568 OR DATE 4/25/2012

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
15568	<div>ref#</div> # 15568		When entering a reference number, pressing the decimal point key will create a space between numbers. All reference numbers print red on the left side of the tape.
4.25.2012	<div>ref#</div> 4 25 2012		
These reference numbers do not have any affect on summations or calculations, they are merely reference numbers.			

Back Space Key, Correcting Entry Errors


SWITCH SETTINGS

+F012346

◆ ■ gt

d n pd time





EXAMPLE
125689 ENTERED RATHER THAN 125687

ENTER	DEPRESS	DISPLAY	OPERATIONAL NOTES
125689		125,689	The Back Space Key is used to correct a “live entry”. A live entry is one which has just been entered, exists in the display, and where no function (completion key) has been pressed.
		12,568	
7		125,687	
Pressing the Back Space Key will back out one digit at a time from the displayed amount. Enter the corrected figure and proceed.			

Multiplication & Division

SWITCH SETTINGS   

EXAMPLE
 $10 \times 5 = 50$ $25 \div 6 = 4.17$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10		10.00 x	
5		5.00 =	
		50.00 *	
25		25.00 ÷	
6		6.00 =	
		4.17 *	

Constant Multiplication




SWITCH SETTINGS







EXAMPLE
10 X 5 = 50, THEN 10 X 6 = 60

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10		10.00 x	In multiplication, the first entry is automatically considered a constant. When multiplying one number by several others, enter the constant first, then the others followed by =.
5		5.00 =	
		50.00 *	
6		6.00 =	In a chain or sequential calculation, the intermediate result becomes the constant.
		60.00 *	

Constant Division




SWITCH SETTINGS







EXAMPLE
10 ÷ 5 = 2, THEN 25 ÷ 5 = 5

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10		10.00 ÷	In division, the second entry is automatically considered the constant. When dividing one number into several others, enter the constant second, then the others followed by =.
5		5.00 =	
		2.00 *	
25		25.00 =	
		5.00 *	

Calculator

Mode Correction

SWITCH SETTINGS

+ F012346

gt

d n pd time

EXAMPLE
10 X WAS ENTERED BUT 10 ÷ WAS INTENDED FOR 10 ÷ 2 = 5

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10	<div>×</div>	10.00 x	Calculator mode correction allows you to immediately correct inadvertently pressing the wrong calculator key. In the example to the left, simply pressing the ÷ key immediately following the x key changes the mode of calculation from multiplication to division.
	<div>÷</div>	10.00 ÷	
2	<div>=</div>	2.00 =	
		5.00 *	
			Calculator mode correction eliminates clearing and reentering.

Chain Multiplication & Division

SWITCH SETTINGS

EXAMPLE
 $10 \times 5 \times 6 \div 25 = 12$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10		10.00 x	In chain calculations, sequential calculation audit symbols Cx and C÷ print clearly to show a chain operation.
5		5.00Cx	
6		6.00C÷	
25		25.00 =	Remember the * (Total Key) does not clear a calculation. The sequential calculation indicators eliminate puzzling results when the total key was incorrectly pressed to clear an incorrect x or ÷ entry.
		12.00 *	

Using the C/CE Key

SWITCH SETTINGS

+ F012346

gt

d n pd time

EXAMPLE

10x WAS ENTERED BUT SHOULD HAVE BEEN 100x. 25 WAS ENTERED BUT SHOULD HAVE BEEN 7.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10	<div>x</div>	10.00 x	The C/CE Key will clear a calculation in progress, e.g. 10x, it will also clear a live entry, e.g. 25.
	<div>C/CE</div>	C	
100	<div>x</div>	100.00 x	Other functions of the C/CE Key will be covered in later sections.
25	<div>C/CE</div>		
7	<div>=</div>	7.00 =	
		700.00 *	

Percentages

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
100 X 25% = 25.00, 25 IS WHAT % OF 98?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100	<div>×</div>	100.00 x	The % key completes calculations, much like the = key, but formats the answer as a percentage.
25	<div>%</div>	25.00 %	
		25.00 *	
25	<div>÷</div>	25.00 ÷	
98	<div>%</div>	98.00 =	
		25.51 %	

Percent Increase




SWITCH SETTINGS

 **+F012346**

 **gt**

 **d n pd time**

EXAMPLE
WHAT IS 267 INCREASED BY 7.6%?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
267		267.00 x	Pressing the + key after calculating a percentage automatically increases the base amount by the percent amount.
7.6		7.60 %	
		20.29 *	
		287.29+%	This operation has no affect on the contents of the adding machine.

Percent Decrease




SWITCH SETTINGS

 **+F012346**

 **gt**

 **d n pd time**

EXAMPLE
WHAT IS 267 DECREASED BY 7.6%?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
267		267.00 x	Pressing the – key after calculating a percentage automatically decreases the base amount by the percent amount.
7.6		7.60 %	
		20.29 *	
		246.71–%	This operation has no affect on the contents of the adding machine.

Accumulating Results

=+ and =- Keys

SWITCH SETTINGS

+ F0 1 2 3 4 6

gt

d n pd time

EXAMPLE

25 ITEMS AT 3.25, 40 ITEMS AT 6.75, 5 ITEMS AT -5.00 (CREDIT), ADD \$6 HANDLING.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
25	<div>×</div>	25.00 x	The =+ and =- keys complete a calculation and move the result into the adding machine.
3.25	<div>=+</div>	3.25 +=	
		81.25 C*	As the example to the left illustrates, since the results are in the adding machine subsequent amounts may be added to or subtracted from the accumulation.
40	<div>×</div>	40.00 x	
6.75	<div>=+</div>	6.75 +=	
		270.00 *	Note: If you were calculating multiple invoices, you would move the gt switch on. In that way a grand total of all invoices could be calculated.
5	<div>×</div>	5.00 x	
5	<div>=-</div>	5.00 -=	
		25.00 *	
6	<div>+</div>	6.00 +	
	<div>*</div>	332.25 *	

Independent Memory

(I+, I−, I◊, I*)

SWITCH SETTINGS

+F012346

◊ ■ gt

d n pd time

EXAMPLE

25 ITEMS AT 3.25, 40 ITEMS AT 6.75, 5 ITEMS AT −5.00 (CREDIT), ADD \$6 HANDLING.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
25	<div>×</div>	25.00 x	The example to the left illustrates using the memory as a completely independent storage area.
3.25	<div>I +</div>	3.25 =	
		81.25 M+	
40	<div>×</div>	40.00 x	The same example was used to show that the invoice can be solved either through use of the memory or by using =+, =− keys in conjunction with the adding machine.
6.75	<div>I +</div>	6.75 =	
		270.00 M+	
5	<div>×</div>	5.00 x	
5	<div>I −</div>	5.00 =	
		25.00 M−	
6	<div>I +</div>	6.00 M+	
	<div>I *</div>	332.25 M*	

Changing the Mathematical Sign of a Number



SWITCH SETTINGS

 **+F012346**

 **gt**

 **d n pd time**

EXAMPLE
ENTER 25 AS A NEGATIVE NUMBER THEN CHANGE TO POSITIVE

ENTER	DEPRESS	DISPLAY	OPERATIONAL NOTES
25		-25	The change sign key is used to change the mathematical sign of any number entered.
		25	

Square Root



SWITCH SETTINGS

 **+F012346**

 **gt**

 **d n pd time**

EXAMPLE
FIND THE SQUARE ROOT OF 63

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
63		63.00 ÷	
		63.00 √	
		7.94 *	

Storing a Tax Rate

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
STORE A TAX RATE OF 7.5%

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
7.5		7.50 C%	To store a tax rate, simply enter the rate and press the tax key. Only a live entry can be stored.

Computing Tax and the Affect of Tax on an Item

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

ITEM SELLS FOR 133.75, THE TAX RATE IS 7.5%. ASSUME TAX RATE IS STORED (EXAMPLE ON PREVIOUS PAGE). WHAT IS THE AMOUNT OF TAX AND THE PRICE WITH TAX.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
133.75	<div>x</div> <div>tax</div>	133.75 x 7.50 C% 10.03 + 143.78+%	To add tax to an item, simply multiply that item's cost and touch tax.

Computing Tax and Finding the Cost of the Item before Tax

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

THE TOTAL INVOICE WAS 143.75, THE TAX RATE IS 7.5%. HOW MUCH WAS THE TAX AND WHAT DID THE ITEM COST BEFORE TAX WAS ADDED.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
143.78	<div>÷</div> <div>tax</div>	143.78 ÷	To find the cost of an item where tax has already been added, simply enter the gross amount, touch ÷, touch tax. The default setting for tax is to compute VAT as illustrated to the left.
	-	7.50C% 10.03 -	
		133.75 -%	
			Note: A definable setting is available to change the calculation of the tax key to percent decrease.
			To clear Tax Rate, press C/CE, then the Tax Key.

Setting Time and Date

SWITCH SETTINGS


+F012346


◆ ■ gt


d n pd time

EXAMPLE

8:55 AM, 4/25/2012 AND 1:25 PM 4/25/2012

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
4.25.2012.8.55		4 25 2012 8 55	Enter the date first, separated by decimal points, press time/date. For PM, enter the date and time in the format above, touch +/- then time/date.
4.25.2012.1.25			
		4 25 2012 1 25 P	

Time and Date Stamp on Tape

SWITCH SETTINGS


+F012346


◇ ■ gt


d n pd time

EXAMPLE
1:25 PM, 4/25/2012

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
		4 25 2012 1 25 P	Once the time and date have been entered, the tape may be time and date stamped at anytime thereafter. The real time clock and calendar are battery supported.

Running ◊ (display)

SWITCH SETTINGS

+F012346

◊ ■ gt

d n pd time

EXAMPLE
\$125.00 + \$135.00 + \$150.00, WITH A RUNNING SUBTOTAL (BALANCE)

ENTER	DEPRESS	DISPLAY	OPERATIONAL NOTES
			Most calculators display a running subtotal rather than the entry just completed. Monroe is unique in this regard as we have always beleived that it is important to easily audit the last entry rather than having that entry bundled into the running accumulation. If, however, as a user you prefer to see the subtotal in the display, simply move the switch to the ◊ position.
125	<div>+</div>	125.00	
135	<div>+</div>	260.00	
150	<div>+</div>	410.00	
	<div>*</div>	410.00	
			In the example only the displayed amounts are illustrated.

Basic Editing Functions

SWITCH SETTINGS














+F0 1 2 3 4 6






gt

d n pd time

EXAMPLE

IN THE FOLLOWING SEQUENCE (2, 3, 4, 11, 15), 11 SHOULD HAVE BEEN 12 AND THE FIGURE 6 WAS LEFT OUT. TOTAL THE SEQUENCE, THEN CORRECT USING THE EDITING KEYS.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
2		2.00C+	The five user definable keys default to the Editing function. If the keys have been redefined to perform another function and you wish to return them to the Editing function, press Define twice, followed by . and 7.
3		3.00 +	
4		4.00 +	
11		11.00 +	
15		15.00 +	
		35.00 *	The editing keys permit the user to scroll through entries made (one at a time) up or down for the previously completed entries, totals. When an incorrect amount is displayed, it may be replaced. In the event an amount was omitted during listing, navigate to the location desired, press Insert, enter the amount and press the correct math operator (+ or – for example). The inserted amount will be inserted. The total will be recalculated automatically. To replace an entry, press replace, enter the correct amount then press + or –. To Reprint a
ENTER		DISPLAY	
		– – – –	
		15.00	
		11.00	
		11.00	
12		12.00	
		12.00	
6		6.00	

ENTER	DEPRESS	DISPLAY	OPERATIONAL NOTES
		12.00	corrected listing, Reprint may be pressed. The maximum number of entries available for edit will be 99. However, entries between the audit symbol C+ (first entry into a clear add register) and * are available. If GT is on, G+ (first entry to GT) and G* is available.
		15.00	
		---	
		42.00	
ENTER	DEPRESS	PRINT	
		2.00C+	
		3.00 +	
		4.00 +	
		6.00 +	
		12.00 +	
		15.00 +	
		42.00 *	

Advanced Operations

Using the definable Settings	55	Using the user definable keys	79
ΣX	56	Finance	80
ΣT	57	Currency Conversion	88
Running \diamond Printed	58	VAT Tax	92
Two Column Addition	59	Discounted Tax	96
Truncate	60	Time Card - Calendar	100
Round Up	61	Cost/Sell/Margin -	
Automatic Incrementing		Reciprocal - Percent Change	104
Identification Numbers	62	Memory II - RV	108
ΣM	63	Spreadsheet/Crossfooting	112
Print All Defined Functions	64	Advanced Functions	120
Price/Price mode	66	Automatic Two Column Addition Variations	121
Units/Price mode	67	Changing the Ultimate to a Time Calculator	126
Price/Units mode	68	Advanced ΣM	130
Variable Add mode	70		
Nickel Rounding	71		
Paper Saver Mode	72		
The tax key for discount	73		
Clearing all Definable Settings	74		
Setting International Punctuation	75		
Setting International Date Format	76		
Setting 24 Hour Clock format	77		

Using the Definable Settings

The UltimateX contains a number of user selectable internal options. These settings can simplify routine calculations, save unnecessary steps and permit the user to adapt the UltimateX to their specific tasks. These internal functions are activated by pressing the Define Key twice followed by the numeric or function key shown in the following examples.

NOTE: Definable Settings are battery supported and are not cleared when the UltimateX is powered off.

Σx

Define 1

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

INVOICE – 125 ITEMS @ \$12.50 EACH, 135 ITEMS @ \$13.50 EACH, 150 ITEMS @ \$15.00 EACH

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>1</div> <div>.....1.....</div>		Σx sums the first factor in multiplication and division in Memory One (I). In the invoicing example to the left, this is useful when accumulating quantities and extensions simultaneously.
125	<div>x</div>	125.00 x	
12.5	<div>=+</div>	12.50 +=	
		1,562.50 C*	
135	<div>x</div>	135.00 x	
13.5	<div>=+</div>	13.50 +=	Total Amount Invoiced
		1,822.50 *	
150	<div>x</div>	150.00 x	
15	<div>=+</div>	15.00 +=	
		2,250.00 *	
	<div>I *</div>	410.00 M*	Total Quantity
	<div>*</div>	5,635.00 *	
	<div>define</div> <div>define</div> <div>1</div> <div>....1....</div>		














ΣT

Define 2

SWITCH SETTINGS  **+F012346**  **gt**  **d n pd time**

EXAMPLE

INVOICE – 125 ITEMS @ \$12.50 EACH, 135 ITEMS @ \$13.50 EACH, 150 ITEMS @ \$15.00 EACH

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
			<p>ΣT sums results obtained from the = and the % key in the adding machine. In the example to the left, pressing = rather than += was possible to accomplish the same end. ΣT is very useful when accumulating percent results, as they are formatted as percentages rather than decimal representations of the percentage.</p>
			
	 2		
125		125.00 x	
12.5		12.50 =	
		1,562.50 C*	
135		135.00 x	
13.5		13.50 =	
		1,822.50 *	
150		150.00 x	
15		15.00 =	
		2,250.00 *	
		5,635.00 *	
			
			
	 2		

Running ◊ (printed)

Define 3

SWITCH SETTINGS

+F012346

◊ ■ gt

d n pd time

EXAMPLE
 \$125.00 + \$135.00 + \$150.00, WITH A RUNNING SUBTOTAL (BALANCE)

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		<p>A printed record of the running subtotal is most frequently used to reconcile bank statements or ledger cards. This function is often used in conjunction with Define 7 (Automatic Incrementing Identification Numbers). With the two enabled, check numbers and the declining balance associated with a processed check are easily identified on the tape.</p>
	<div>define</div>		
	<div>3</div>3.....		
125	<div>+</div>	125.00C+	
		125.00 ◊	
135	<div>+</div>	135.00 +	
		260.00 ◊	
150	<div>+</div>	150.00 +	
		410.00 ◊	
	<div>*</div>	410.00*	
	<div>define</div>		
	<div>define</div>		
	<div>3</div>3.....		

Basic Two Column Addition

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

COMPUTE THE FOLLOWING USING TWO COLUMN ADDITION

INVOICE 125, TAX 12.5

INVOICE 135, TAX 13.5

INVOICE 150, TAX 15

PRESS C/CE THEN TAX BEFORE SOLVING THIS EXAMPLE

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>4</div> <div>...</div> <div>4</div> <div>...</div>		
125	<div>+</div>	125.00 C+	In basic two column addition, the + and – keys print and accumulate amounts on the right side of the tape (summing in the adding machine).
12.5	<div>=+</div> 12.50	G+	
135	<div>+</div>	135.00 +	
13.5	<div>=+</div> 13.50	G+	The =+ and =– keys print and accumulate amounts on the left side of the tape (summing in the grand total memory).
150	<div>+</div>	150.00 +	
15	<div>=+</div> 15.00	G+	If a tax rate has been stored refer to pages 121-125, Advanced Functions.
	<div>*</div>	410.00 *	
	<div>*</div> 41.00	G*	
	<div>define</div>		
	<div>define</div>		
	<div>4</div> <div>...</div> <div>4</div> <div>...</div>		

Truncate (round down)

Define 5

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
1.444 + 2.687, FIND TOTAL

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		<p>Truncate or Round Down instructs the calculator to ignore all values past the decimal setting when calculating a result or finding a total. Were this example performed with the decimal selector at F, the total would be 4.136. With truncate, the decimal digit 6 is ignored or truncated. Note: Truncate does not ignore decimal digits entered (1.444 for example). It only acts on totals/results.</p>
	<div>define</div>		
	<div>5</div>5.....		
1.444	<div>+</div>	1.444C+	
2.687	<div>+</div>	2.687 +	
	<div>*</div>	4.13 *	<p>Special Note: The default position for the UltimateX is automatic rounding commonly referred to as 5/4. In the default position, any decimal digit past the decimal setting is reviewed. If it is 5 or greater the decimal digit to its left is rounded up. If it is 4 or less, the decimal digit to the left is unaffected.</p>
	<div>define</div>		
	<div>define</div>		
	<div>5</div>5....		

Round Up

Define 6

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
1.444 + 2.687, FIND TOTAL

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>6</div> <div>.....6.....</div>		Round Up instructs the calculator to round up any value past the decimal setting when calculating a result or finding a total. Were this example performed with the decimal selector at F, the total would be 4.131. With Round up enabled, the decimal digit 3 is rounded up to 4 since a non-zero decimal digit exists to its right. Note: Roundup does not act upon decimal digits entered (1.444 for example). It only acts on the totals/results.
1.444	<div>+</div>	1.444C+	
2.687	<div>+</div>	2.687 +	
	<div>*</div>	4.14 *	
	<div>define</div> <div>define</div> <div>6</div> <div>....6....</div>		

Automatic Incrementing Identification Numbers - Define 7

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
CHECK #123 IS \$50, CHECK #124 IS \$75, CHECK #125 IS \$87

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>7</div> <div>.....7.....</div>		If your task calls for identifying the invoice or check number associated with an amount and those numbers are incremental, setting the incremental identification number is a time saving and productive feature to enable. Used in conjunction with the Define 3 function earlier illustrated, these features combined are great for balancing a check book and auditing a bank statement.
123	<div>ref#</div> <div>#123</div>		
50	<div>+</div> <div>#123</div>		
		50.00C+	
75	<div>+</div> <div>#124</div>		
		75.00 +	
87	<div>+</div> <div>#125</div>		
		87.00 +	
	<div>*</div> <div>define</div> <div>define</div> <div>7</div> <div>....7....</div>	212.00 *	

ΣM

Define 8

SWITCH SETTINGS

+F012346

◆ ■ gt

d n pd time

EXAMPLE

INVOICE – 125 ITEMS @ \$12.50 EACH, 135 ITEMS @ \$13.50 EACH, 150 ITEMS @ \$15.00 EACH

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>8</div> <div>.....8.....</div>		ΣM sums results obtained from the = and % key, elapsed time and five definable tax keys in Memory I.
125	<div>×</div>	125.00x	
12.5	<div>=</div>	12.50=	
		1,562.50C*	
135	<div>×</div>	135.00x	
13.5	<div>=</div>	13.50=	
		1,822.50*	
150	<div>×</div>	150.00x	
15	<div>=</div>	15.00=	
		2,250.00*	
	<div>I *</div> <div>define</div> <div>define</div> <div>8</div> <div>.....8.....</div>	5,635.00 M*	

Print Defined Functions

Define 9

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
FIND WHICH FUNCTIONS HAVE BEEN ACTIVATED - AS SHOWN, ALL FUNCTIONS ARE OFF

FUNCTION	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>9</div>	This function recaps the enabled/disabled status of all internal definable functions.
ΣX		...1...	
ΣT		...2...	
Running ◊ Print		...3...	
Two Column Addition		...4...	
Truncate		...5...	
Round up		...6...	
Set Identifier		...7...	
ΣM		...8...	
Price/Price Mode		...0...	
Units/Price Mode		...00...	
Price/Units Mode		•0...00...	

Price/Price Mode

Define 0

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

QUANTITY	UNIT PRICE
1.75	\$3.50
1.76	\$6.25
1.77	\$4.12

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>0</div> <div>.....0.....</div>		Price/Price mode assumes that fractional units are being multiplied by dollars and cents. In add mode (+ on the decimal selector) and this function enabled, there is no need to enter the decimal point when entering fractional amounts and extending them by a price in dollars and cents.
175	<div>x</div>	1.75 x	
350	<div>=+</div>	3.50 +=	
		6.13 C*	
176	<div>x</div>	1.76 x	
625	<div>=+</div>	6.25 +=	
		11.00 *	
177	<div>x</div>	1.77 x	
412	<div>=+</div>	4.12 +=	
		7.29 *	
	<div>*</div> <div>define</div> <div>define</div> <div>0</div> <div>.....0.....</div>	24.42 *	

Units/Price Mode

Define 00

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

QUANTITY	UNIT PRICE
175	\$3.50
176	\$6.25
177	\$4.12

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>00</div> <div>.....00.....</div>		Units/Price mode assumes that whole units are being multiplied by dollars and cents. In add mode (+ on the decimal selector) and this function enabled, there is no need to enter the decimal point when entering the whole amounts and extending them by a price in dollars and cents.
175	<div>x</div>	175.00 x	
350	<div>=+</div>	3.50 +=	
		612.50 C*	
176	<div>x</div>	176.00 x	
625	<div>=+</div>	6.25 +=	
		1,100.00 *	
177	<div>x</div>	177.00 x	
412	<div>=+</div>	4.12 +=	
		729.24 *	
	<div>*</div> <div>define</div> <div>define</div> <div>00</div> <div>...00...</div>	2,441.74 *	

Price/Units Mode

Define 0, Define 00

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

PRICE	UNITS
1.78	350
1.79	625
1.80	412

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>0</div> <div>define</div> <div>define</div> <div>00</div>	<div>.....0.....</div> <div>.....00.....</div>	<p>Price/Units mode assumes that the price in dollars and cents is multiplied by whole units. In add mode (+ on the decimal selector) and this function enabled, there is no need to enter the decimal point when price in dollars and cents is multiplied by whole units.</p>
178	<div>x</div>	1.78 x	
350	<div>=+</div>	350.00 +=	
		623.00 C*	
179	<div>x</div>	1.79 x	
625	<div>=+</div>	625.00 +=	
		1,118.75 *	

ENTER

DEPRESS

PRINT

OPERATIONAL NOTES

180



1.80x

412



412.00 +=

741.60 *



2,483.35 *

define

define



• • • 0 • • •

define

define





• • 00 • • •

Definable Add Mode

Define +

SWITCH SETTINGS



EXAMPLE

$$0.1234 + 0.4322 + 1.5575 - 0.3322 = 1.7809$$

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	define		
	define		
	+ +	
1234	+	0.1234 C+	
4322	+	0.4322 +	
15575	+	1.5575 +	
3322	-	0.3322 -	
	*	1.7809 *	
	define		
	define		
	+ +	

Definable Add Mode permits addition/subtraction of decimal points greater or less than two decimal places to be entered without pressing the decimal point key. In the case to the left, the decimal selector is at 4 and variable add mode enabled. Therefore 4 place decimal amounts may be added and subtracted without the need to press the decimal point key.

Nickel Rounding

Define –

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE

1.11 + 1.11 = 2.25 ROUNDED TO THE NEAREST NICKEL

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
1.11	<div>define</div>		Nickel Rounding assumes that there are no longer pennies in the monetary system. As such, all cents will be rounded to the nearest nickel.
	<div>define</div>		
	<div>–</div>–		
	<div>+</div>	1.11C+	
	<div>+</div>	1.11 +	
	<div>*</div>	2.25 *	
	<div>define</div>		
	<div>define</div>		
	<div>–</div>–		

Paper Saver Mode

Define adv

SWITCH SETTINGS	<div><div></div><div>+F012346</div></div>	<div><div></div><div>gt</div></div>	<div><div></div><div>d n pd time</div></div>
ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div><div>define</div><div>define</div><div>adv</div><div>define</div><div>define</div><div>adv</div></div>	<div><div>.....</div><div>SA</div><div>.....</div><div>SA</div></div>	<div><div>Paper Saver Mode eliminates the spacing of totals above the tear off knife and blank spaces between other results.</div></div>

Defining the Tax Key

As % Decrease - Define tax

SWITCH SETTINGS

+F012346

gt

d n pd time

EXAMPLE
THE TOTAL INVOICE WAS 143.78, THE TAX RATE IS 7.5%. DISCOUNT THE INVOICE BY 7.5%

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>tax</div> - %	In this example discount, rather than VAT will be calculated.
7.5	<div>tax</div>	7.50 C%	
143.78	<div>÷</div>	143.78 ÷	
	<div>tax</div>	7.50 C%	
		— 10.78 -	
		133.00 -%	
	<div>define</div> <div>define</div> <div>tax</div> -%	

Clearing All Definable Functions

Define C/CE

CALC SETTINGS – ANY AND ALL SETTINGS

EXAMPLE
RETURN TO DEFAULT SETTINGS

ENTER

DEPRESS

PRINT

OPERATIONAL NOTES



..... C

Pressing the Define key followed by the C/CE key will clear all internal definable functions.

International Punctuation

Define +/-

CALC SETTINGS – ANY AND ALL SETTINGS

EXAMPLE
CHANGES FORMAT FROM X , XXX . XX TO X . XXX , XX

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		
	<div>define</div>		
	<div>+/-</div>◇	
1234	<div>+</div>	1.234,00C+	
	<div>*</div>	1.234,00 *	
	<div>define</div>		
	<div>define</div>		
	<div>+/-</div>◇	

International Date Format

Define Time/Date 1

CALC SETTINGS – ANY AND ALL SETTINGS

EXAMPLE

CHANGES DATE FORMAT FROM MM . DD . YYYY TO DD . MM . YYYY

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		
	<div>define</div>		
	<div>time date</div>		
	<div>1</div>	#	
	<div>define</div>		
	<div>define</div>		
	<div>▪</div>		
	<div>5</div>	5	
3.12.2001	<div>start</div>	03 12 2001	
7.12.2001	<div>end</div>	07 12 2001	
	<div>elapsed</div>	4.00	
	<div>define</div>		
	<div>define</div>		
	<div>time date</div>		
	<div>1</div>	#	

24 Hour Clock Format












Define Time/Date 2

CALC SETTINGS – ANY AND ALL SETTINGS

EXAMPLE

24 HOUR CLOCK FORMAT PERMITS ENTRY IN "MILITARY TIME" RATHER THAN IN 12 HOUR FORMAT

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>time date</div> <div>2</div> <div>define</div> <div>define</div> <div>■</div> <div>5</div>24.....	Example continued on following Page.
8.30	<div>start</div>	8 30	
12.00	<div>end</div>	12 00	
12.45	<div>start</div>	12 45	
15.00	<div>end</div>	15 00	

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
15.15		15 15	Cont. from Previous Page.
17.00		17 00	
		7 30	
		7.50	
			
			
			
		• • 24 • • •	
			
			
		• • • • • • • • • • C	

Using the User Definable Keys

NOTE: Definable Settings are battery supported and are not cleared when the Ultimate is powered off.

Finance



Define . 1

IMPORTANT OPERATIONAL NOTES

Amounts entered on the FV, PV, TERM, RATE and PMT keys remain constants unless changed, i.e. a new amount is entered that replaces the stored constant. It is recommended that the sequence of pressing C/CE then PV is used prior to each calculation, or until you are familiar with the operation.

Once a payment has been calculated, pressing the Total key will cause an entire amortization schedule to print. If sufficient information exists as constants, i.e. an amount stored in PV, TERM, RATE, and PMT and Total is inadvertently depressed, the schedule will print. To stop the printing of the Amortization schedule, PRESS C/CE during the printing. The schedule will stop printing when the keyboard buffer reads the depression of the C/CE key.

Solving for RATE can take a second of computational time.

Pressing the Define Key  

followed by  


will turn on the Finance functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**



THESE DEFINED KEYS



EXAMPLE

SOLVE FOR PAYMENT

Assume you are interested in purchasing a home for \$250,000. The interest rate is 6%. You want to finance the loan over a period of 180 months (15 years). Solve for Payment.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
250000	<div>pv</div>	250,000.00 LI	PV - Amount Financed
6	<div>rate</div>	6.00 %	Interest Rate
180	<div>term</div>	180.00M	Term - Months
	<div>payment</div>	2,109.64 P	Monthly Payment

EXAMPLE

SOLVE FOR PRESENT VALUE (AMOUNT BORROWED)

Assume you can afford to pay \$2000 per month on mortgage payment. You qualify for a 6% interest rate. You want to pay the loan off in 180 months (15 years). Solve for the amount you may borrow (Present Value).

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
2000	<div>payment</div>	2,000.00 P	Monthly Payment
6	<div>rate</div>	6.00 %	Interest Rate
180	<div>term</div>	180.00M	Term - Months
	<div>pv</div>	237,007.03 LI	PV - Amount Financed

EXAMPLE

SOLVE FOR REPAYMENT TERM

Assume the loan you need is for \$250,000, yet the payment you want is \$2,000. You qualify for a 6% rate. How many months would be required to repay the loan? As shown below, it requires 196 months to repay the loan with a remaining payment of \$1306.31.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
250000	<div>pv</div>	250,000.00 LI	PV - Amount Financed
6	<div>rate</div>	6.00 %	Interest Rate
2000	<div>payment</div>	2,000.00 P	Monthly Payment
	<div>term</div>	1,306.31 P*	Remaining Payment
		196.00M	Term - Months

EXAMPLE

SOLVE FOR INTEREST RATE

Assume you wish to borrow \$250,000, over a 180 month (15 year) period and you can afford to pay \$2,109.64 per month. What interest rate do you need under this scenario?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
250000	<div>pv</div>	250,000.00 LI	PV - Amount Financed
2109.64	<div>payment</div>	2,109.64 P	Montly Payment
180	<div>term</div>	180.00M	Term - Months
	<div>rate</div>	6.00 %	Interest Rate

EXAMPLE

AMORTIZATION

Calculate a payment and print amortization schedule. \$100,000 loan, 6.5% Interest Rate compounded monthly, 15 year (180 months) term.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100,000	<div>pv</div>	100,000.00 L1	PV - Amount Financed
6.5	<div>rate</div>	6.50 %	Interest Rate
180	<div>term</div>	180.00 M	Term - Months
	<div>payment</div>	871.11 P	Monthly Payment
	<div>*</div> #	1	FIRST PAYMENT - AMORTIZE
		871.11 P	Payment
		541.67 -I	Pmt. Portion to Interest
		329.44 P-	Pmt. Portion to Principal
		99,670.56 P◆	Remaining Principal
		541.67 SI	Cumulative Interest
		
	#	2	
		871.11 P	
		539.88 -I	
		331.23 P-	
		99,339.33 P◆	
		1,081.55 SI	Cont. on following page.

EXAMPLE

AMORTIZATION CONT. FROM PREVIOUS PAGE
Calculate a payment and print amortization schedule. \$100,000 loan, 6.5% Interest Rate compounded monthly, 15 year (180 months) term.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	#	3	In the example the Total (*) key was pressed when no live entry existed. This will cause the entire amortization schedule to print.
		871.11 P	
		538.09 -I	
		333.02 P-	
		99,006.31 P◆	
		1,619.64 SI	Rather than printing an entire Amortization Schedule, Ultimate enables you to select a month or range of months for printing. After finding the payment, or any of the other three variables, a selected amortization schedule may be printed. If you desire a schedule for month 12 for example, enter 12 and press Total. If you wish to print a schedule between the months of 24 and 28 for example, enter 24.28 then press Total. Note: Amortize can only print if sufficient information exists (PV, Term, Rate) to compute payment.
		
	<div>C/CE</div>		
12	<div>*</div> 12	
	#	12	
		(etc)	
24.28	<div>*</div> 24	
	#	24	
		(etc)	
		(prints schedule for months 24 through and including 28)	

EXAMPLE

COMPUTE FUTURE VALUE
100,000 Present Value, 6% Interest Rate (compounded monthly), 10 year (120 month) Term.
Press C/CE, PV prior to solving this example.

ENTER	DEPRESS	PRINT	
100000	<div>pv</div>	100,000.00 L1	PV - Amount Financed
6	<div>rate</div>	6.00 %	Interest Rate
120	<div>term</div>	120.00M	Term - Months
	<div>fv</div>	181,939.67 L2	FV - Future Value

EXAMPLE

COMPUTE FUTURE VALUE
Deposit \$50 a month (at the end of each month) into a new account that pays 6.25% annual interest, compounded monthly. How much will the account be worth after 2 years? Press C/CE, PV prior to solving this example.

ENTER	DEPRESS	PRINT	
50	<div>payment</div>	50.00 P	Monthly Savings
6.25	<div>rate</div>	6.25 %	Interest Rate
24	<div>term</div>	24.00M	Term Months
	<div>fv</div>	1,274.70 L2	FV - Future Value

EXAMPLE

COMPUTE FUTURE VALUE

\$1,000 (Present Value in a Savings Account), \$50 deposited each month (at the end of the month), 6% interest rate compounded monthly. What is the value of the account after 6 months? Press C/CE, PV prior to solving this example.

ENTER	DEPRESS	PRINT	
1000	<input type="button" value="pv"/>	1,000.00 L1	PV - Amount Financed
50	<input type="button" value="payment"/>	50.00 P	Montly Payment
6	<input type="button" value="term"/>	6.00 M	Term - Months
6	<input type="button" value="rate"/>	6.00 %	Interest Rate
	<input type="button" value="fv"/>	1,334.15 L2	FV - Future Value

EXAMPLE

SOLVE FOR PV

Press C/CE, PV prior to solving this problem.

ENTER	DEPRESS	PRINT	
500000	<input type="button" value="fv"/>	500,000.00 L2	FV - Future Value
5.25	<input type="button" value="rate"/>	5.25 %	Interest Rate
120	<input type="button" value="term"/>	120.00 M	Term - Months
	<input type="button" value="pv"/>	296,116.57 L1	PV - Present Value

Currency Conversion

Define . 2

IMPORTANT OPERATIONAL NOTES

The conversion of 5 currencies including Home are possible. 4 currencies to the Home currency or Home currency to 4 alternates may be calculated. Conversion between currencies is also possible, with the calculation going through Home.

Home is the anchor currency. That is, 1 Home = X times C1, C2, C3, C4.

Pressing the Define Key define define

followed by ▪ 2

will turn on the Currency functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**

↑

↓

replace

insert

reprint

THESE DEFINED KEYS

home

C1

C2

C3

C4

EXAMPLE

SETTING CONVERSION RATES
Assume Home = USD, C1 = Euro, C2 = GBP, and C3 = JPY, and assume that 1 USD = 0.705965 Euro, 0.491957 GBP and 116.61 JPY.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
.705965	<div>define</div> <div>define</div>		
	<div>C1</div> 1	C	Stores conversion rate C1
		0.705965 C%	
.491957	<div>define</div> <div>define</div>		
	<div>C2</div> 2	C	Stores conversion rate C2
		0.491957 C%	
116.61	<div>define</div> <div>define</div>		
	<div>C3</div> 3	C	Stores conversion rate C3
		116.61 C%	

EXAMPLE

CONVERSION
Convert 250 Euros to USD

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
250	<div>C1</div> 1	C	In this conversion 250 Euro is divided by the conversion factor to determine the equivalent USD
		250.00	
		354.13 *	

EXAMPLE

CONVERSION

Convert 500 USD to Euros

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
500	<div>home</div> #	C	In this conversion 500 USD is multiplied by the conversion factor to determine the equivalent Euro.
	<div>C1</div>	500.00	
		352.98 *	

EXAMPLE

CONVERSION

Convert 10000 JPY to Euro

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10000	<div>C3</div> 3	C	Converts JPY to Home (USD)
		10,000.00	
		85.76 *	
	<div>C1</div> 1	C	Home (USD) Converts to EURO
		85.76	
		60.54 *	

VAT Tax

Define . 3

IMPORTANT OPERATIONAL NOTES

Five tax rates may be stored when this special function is selected.

If the stored amount for a key is positive, that Tax key will compute amount of tax and add on. If the stored amount for a key is negative, that Tax Key will compute the amount of tax and net prior to tax, i.e. VAT. If one wants to determine add on and the stored rate is negative, enter the amount, press change sign and it will Add On Tax to the entered amount. Also works in reverse.

Pressing the Define Key define define

followed by ■ 3

will turn on the VAT Tax functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**

↑

↓

replace

insert

reprint

THESE DEFINED KEYS

tax 1

tax 2

tax 3

tax 4

tax 5

EXAMPLE

STORING TAX RATES

Tax rates, T1 = 5%, T2 = -5%, T3 = 8.75%, T4 = -8.75%

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
5	<div>define</div> <div>define</div> <div>tax 11</div>	C% 5.00 %	Stores Tax Rate 1
5	<div>+/-</div> <div>define</div> <div>define</div> <div>tax 22</div>	C% - 5.00% - - - -	Stores Tax Rate 2
8.75	<div>define</div> <div>tax 33</div>	C% 8.75 %	Stores Tax Rate 3
8.75	<div>+/-</div> <div>define</div> <div>define</div> <div>tax 44</div>	C% - 8.75%	Stores Tax Rate 4

EXAMPLE

Find tax and after tax price for a \$105 item and 8.75% tax.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
105	<div>tax 3</div>	105.00 X	
		8.75 C%	
		9.19 +	
		114.19 +%	

EXAMPLE

An item sells for \$247 including 5% tax, find Tax and Cost before Tax.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
247	<div>tax 2</div>	247.00 ÷	
	-	5.00 C%	
	-	11.76 -	
		235.24 -%	

EXAMPLE

Find tax and After Tax Price (alternate use of tax key) of a \$100 item and –5% Tax Rate

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100	<div>+/-</div>		Use of –5% Rate to show alternate use of negative rate adds and prints black. Ignores math sign.
	<div>tax 2</div> –	100.00 x	
	–	5.00 C%	
		5.00 +	
		105.00 +%	

Discount Tax

Define . 4



IMPORTANT OPERATIONAL NOTES

Tax Keys Discount (All specifications related to VAT previously are applicable here)

Five Tax rates may be stored when this special function is selected.

These keys are defined and operate similar to the Tax Keys VAT. The difference, storing a negative rate calculates discount, not VAT.

Note: To recall a Stored Tax Rate or Conversion Rate, Press Define and key to recalled, T1 for example.

Pressing the Define Key  

followed by  


will turn on the Discount Tax functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**



THESE DEFINED KEYS



EXAMPLE

STORING TAX RATES

Tax rates, T1 = 8.75%, T2 = -5%, T3 = -3%, T4 = -1%

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		
8.75	<div>define</div>		
	<div>tax 1</div> 1	C%	Stores Tax Rate 1
		8.75 %	
5	<div>+/-</div>		
	<div>define</div>		
	<div>define</div>		
	<div>tax 2</div> 2	C%	Stores Tax Rate 2
	-	5.00 %	
3	<div>+/-</div>		
	<div>define</div>		
	<div>define</div>		
	<div>tax 3</div> 3	C%	Stores Tax Rate 3
	-	3.00 %	
1	<div>+/-</div>		
	<div>define</div>		
	<div>define</div>		
	<div>tax 4</div> 4	C%	Stores Tax Rate 4
	-	1.00 %	

EXAMPLE

CHAIN DISCOUNT

Find the selling price of an item that’s currently marked \$100. The item is eligible to be discounted by 3 rates (5%, 3%, and 1%), stored on the last page, and subject to a tax rate of 8.75%. Find the Price.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100	<div>tax 2</div>	100.00 x	
	-	5.00 C%	
	-	5.00 -	
		95.00 -%	
	<div>tax 3</div>	95.00 x	
	-	3.00 C%	
	-	2.85 -	
		92.15 -%	
	<div>tax 4</div>	92.15 x	
	-	1.00 C%	
	-	0.92 -	
		91.23 -%	
	<div>tax 1</div>	91.23 x	
		8.75 C%	
		7.98 +	
		99.21 +%	

Time Card


Define . 5

IMPORTANT OPERATIONAL NOTES

Time Card is selected by pressing Define twice followed by . 5. A number of functions are possible when Time Card is defined. These functions are as follows:

- Determine the decimal equivalent of an entry of hours and minutes.
- Calculate the elapsed time between two or more periods, i.e. number of hours worked.
- Accumulate the hours and minutes worked (Define 8) automatically.
- Find the number of days between two dates.
- Find a Future Date
- Find a Past Date

These functions are illustrated in the following pages of examples.

Pressing the Define Key  

followed by  

will turn on the Time Card functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**



THESE DEFINED KEYS



EXAMPLE

CONVERT HOURS/MINUTES TO DECIMAL EQUIVALENT
What is the decimal equivalent of 8 hours, 30 minutes

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.30	<div>dec. equiv</div>	8.50	UltimateX assumes that when this function is selected and a live entry is completed by the Decimal Equivalent key, that entry was hours and minutes(HH.MM).

EXAMPLE

CONVERT DECIMAL EQUIVALENT TO HOURS/MINUTES
What is 8.5 equal to in hours/minutes?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.50	<div>dec. equiv</div>	8 30	Note: Converting decimal equivalent to HH.MM can only be performed if the Time/Calc switch is in the Time position.

EXAMPLE

COMPUTE HOURS WORKED

An employee starts work at 8:30am, takes a 45 minute break for lunch at 12:00, a 15 minute coffee break at 3:00pm and leaves work at 5:00pm. Determine how many hours this employee worked.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.30	<div>start</div>	8 30	
12.00	<div>+ / -</div>		
	<div>end</div>	12 00 P	
12.45	<div>+ / -</div>		
	<div>start</div>	12 45 P	
3.00	<div>+ / -</div>		
	<div>end</div>	3 00 P	
3.15	<div>+ / -</div>		
	<div>start</div>	3 15 P	
5.00	<div>+ / -</div>		
	<div>end</div>	5 00 P	
	<div>elapsed</div>	7 30	This employee worked 7 hours and 30 minutes. If you wish to convert the 7 hours and 30 minutes to the decimal equivalent to enable multiplying it by an hourly rate, depress decimal equivalent.
	<div>dec. equiv</div>	7.50	

EXAMPLE

DAYS BETWEEN DATES

Compute the number of days between December 3 and December 7.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
12.03.2001	<div>start</div>	12 03 2001	The number of days in this example is 4. The count includes Dec. 3, 4, 5, & 6.
12.07.2001	<div>end</div>	12 07 2001	
	<div>elapsed</div>	4.00	

EXAMPLE

COMPUTE A FUTURE DATE

Determine the date 4 days hence (December 3, 2001)

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
12.03.2001	<div>start</div>	12 03 2001	
4	<div>days</div>	4.00	
	<div>elapsed</div>	12 07 2001	

EXAMPLE

COMPUTE A PAST DATE

Determine the date 4 days prior (December 7, 2001)

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
12.07.2001	<div>start</div>	12 07 2001	
4	<div>+ / -</div>		
	<div>days</div>	- 4.00	
	<div>elapsed</div>	12 03 2001	

Cost, Sell, Margin, Reciprocal Percent Change - Define . 8

IMPORTANT OPERATIONAL NOTES

When enabled, the Cost, Sell, Margin, Reciprocal, Percent Change Keys permit the following problems to be solved:

- Find the Selling Price of an Item.
- Find the Gross Margin (Profit) on an item sold.
- Find the Cost of an Item.
- Find the Reciprocal of a number.
- Find the amount and percent of change between two numbers.

Examples of these functions are illustrated in the following pages.

Pressing the Define Key define define

followed by ■ 8

will turn on this function.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**

↑

↓

replace

insert

reprint

THESE DEFINED KEYS

cost

sell

margin

1/x

%Δ

EXAMPLE

FIND SELLING PRICE

If the an item costs \$100 and has a 25% markup, what is the Selling Price?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100	<div>cost</div>	100.00 C	In the example to the left, cost and % markup were known. Immediately following the entry and depression of the margin key, the amount of markup in dollars and the selling price print.
25	<div>margin</div>	25.00 M%	
		33.33 MA	
		133.33 S*	
			The formula for calculating selling price is $\text{Selling Price} = \frac{1}{1/(100 - \% \text{ Markup})}$

EXAMPLE

FIND MARGIN AND % MARK UP

If an item's Cost is \$100 and the Selling Price is \$150, what is the Markup in Percentage and Dollars?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
100	<div>cost</div>	100.00 C	In the example to the left, the cost and selling price were known. Immediately following the entry and depression of the sell key, the amount of markup in dollars and the % of markup is printed.
150	<div>sell</div>	150.00 S*	
		50.00 MA	
		33.33 M%	

EXAMPLE

FIND COST

If an item has a Selling Price of \$150 with a 60% markup included, what is the cost of the item?

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
150	<div>sell</div>	150.00 S*	In the example to the left, Selling Price and the % Markup were known. Immediately following the entry and depression of the Margin Key, the amount of Markup in dollars and the Cost is printed.
60	<div>margin</div>	60.00 M%	
		90.00 MA	
		60.00 C	

EXAMPLE

RECIPROCAL

Find the Reciprocal of 625

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
625	<div>1/x</div>	625.00 =	Simply enter the value and press the Insert Key, (1/x function), to find the Reciprocal.
		0.0016 *	

EXAMPLE

PERCENT CHANGE (%Δ)

Find the difference between two years of sales; this year \$10,750,673, and last year 9,948,581.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
10750673	<div>÷</div>	10,750,673.00 ÷	When comparing two numbers, always enter the current period first.
9948581	<div>%Δ</div>	9,948,581.00 Δ	
		802,092.00 Δ*	
		8.06 Δ%	


Independent Memory II

Define . 9

IMPORTANT OPERATIONAL NOTES

Independent Memory II, functions in exactly the same manner as Independent Memory I.

The RV (Reverse Key) reverses two factors in a calculation.

Pressing the Define Key  

followed by  


will turn on the Independent Memory functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**



THESE DEFINED KEYS



EXAMPLE

SIMPLE INVOICE




25 items @ 3.25, 40 items @ 6.75, 5 items @ -5.00 (credit), add \$6 handling charge, Find Invoice Total.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
25	<div>×</div>	25.00 x	The example to the left illustrates using the memory as a completely independent storage area.
3.25	<div>m+</div>	3.25 =	
		81.25 +2	
40	<div>×</div>	40.00 x	
6.75	<div>m+</div>	6.75 =	
		270.00 +2	
5	<div>×</div>	5.00 x	
5	<div>m-</div>	5.00 =	
		25.00 -2	
6	<div>m+</div>	6.00 +2	
	<div>m*</div>	332.25 S*	

EXAMPLE

REVERSE

5 ÷ 12 = should have been 12 ÷ 5.





ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
5		5.00 ÷	The Reverse Key simply reverses the order of entry.
12		12.00	
		5.00 =	
		2.40 *	

Spreadsheet



Define *


IMPORTANT OPERATIONAL NOTES

Defining the 5 user definable keys as spreadsheet (crossfooting) also defines Independent Memory I keys with alternative functionality.

-  now becomes Crossfoot
-  now becomes Distribute
-  now becomes Prorate
-  now becomes Average

The crossfooting function provides individual addressability of column and row locations. The term crossfooting refers to totalling across and down.

Pressing the Define Key  

followed by 






will turn on the Spreadsheet functions.

This function is disabled by replacing the 5 definable keys with another function.

UltimateX **ACTUAL KEYS BECOME...**

- 
- 
- 
- 
- 

THESE DEFINED KEYS

- 
- 
- 
- 
- 

COLUMNS

ROWS	1	2	3	4	TOTAL
1	5	2	4	0	11
2	0	6	0	5	11
3	3	5	0	6	14
4	6	0	4	7	17
TOTAL	14	13	8	18	53

When the Crossfooting function is enabled through depression of the Define key twice followed by the Total (*) key, the plus and minus keys of the adding machine assign a value (positive or negative) to a column/row location. The function of total, when used, instructs UltimateX to move to the next column for entries. The orientation of this function is always from the perspective of column. In this example, depression of 5 followed by depression of +, places the value 5 in Column 1 Row 1. The value 0, in Column 1, Row 2, can be placed there by entering 0 and pressing plus, or by depressing the Skip key, which moves the pointer to the next location as Column 1 Row 3. The user could directly address a location by using the Jump To function. Jump To command allows the user to "Jump To" a specified cell. For example Column 5, Row 3. The column and row locations are separated

by the decimal key when entering the location. To get to the location in the example, enter 5.03 then press Jump To. If a mistake is made in entry, correcting that mistake may be made by entering the correct amount, and following the sequence just described. Whatever value existed in that location previously will be replaced by the new value.

Before proceeding add the four columns of numbers in the spread sheet above. Press * after the last entry in each column has been entered.

EXAMPLE

CROSSFOOTING

When the Crossfoot key is pressed, the totals of all the columns and rows will automatically be printed. For the sake of brevity, only the printout will be represented below.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>I *</div>	<div><div></div><div>1</div><div>14.00</div><div>2</div><div>13.00</div><div>3</div><div>8.00</div><div>4</div><div>18.00</div><div></div><div>53.00C*</div><div></div></div>	<div>All values will remain in their assigned column and row locations. They will not be automatically cleared. When finished with one spreadsheet press C/CE then Crossfoot before moving to the next spread sheet.</div>

Example cont. on next page.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
		
	1	L	
		11.00	
	2	L	
		11.00	
	3	L	
		14.00	
	4	L	
		17.00	
		
		53.00 L*	
		

EXAMPLE

% DISTRIBUTION

An individual wants to find the percent distribution on the 1st Column then the Row Total.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>I ♦</div>		Using our example, let us assume that the user wants to perform a % Distribution. The % Distribution can be run on individual columns, individual rows, column totals or row totals. In this illustration below, we will first run a % Distribution on Column 1, next run a % Distribution on Row Totals.
1	<div>column</div>		
	1	C	
		35.71 %	
	1	C	
		0.00 %	
	1	C	
		21.43 %	
	1	C	
		42.86 %	
		100.00 %	

Example cont. on next page.

ENTER

DEPRESS

PRINT

OPERATIONAL NOTES



total

row

All values will remain in their assigned column and row locations. They will not be automatically cleared.

1 L

20.75%

2 L

20.75%

3 L

26.42%

4 L

32.08%

.....

100.00%

.....

EXAMPLE

PRORATION

In this example Prorate a budget of \$50,000 using the Column totals of our example.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
50000	<div>I-</div> <div>total</div> <div>column</div>		
	1	C	Now let us assume that the purpose of all this functionality was to prorate a budget between departments. Again, proration may be performed against any column, row or the Total of Columns or Rows. Let us prorate a \$50,000 dollar budget proportionately against the Column Totals of our example.
		13,207.55 P÷	
	2	C	
		12,264.15 P÷	
	3	C	Automatic Average works in the same manner as described above. In the event the user wanted to average all columns or all rows, the entry sequence would be press Average, Total then Column or Row or Crossfoot for both columns and rows.
		7,547.17 P÷	
	4	C	
		16,981.13 P÷	
		50,000.00 P÷	

Advanced Functions

Automatic Two Column Addition

IMPORTANT OPERATIONAL NOTES


Earlier on page 59, Two Column Addition was illustrated. Two Column Addition is a powerful function and has many automatic features which will be illustrated in the following examples.

EXPANDED FUNCTIONALITY

Currently by pressing the Total (*) key once, the right hand total is summed. Pressing the Total (*) key again, totals the left column. A third depression of the Total (*) key combines both the left and right columns.

Automatic Add On, Discounts or VAT. This new expanded functionality is possible under the following conditions. TC engaged. A rate (positive or negative) is stored under the Tax Key and the Tax Key is defined as Discount or VAT. VAT is the default condition.

SWITCH SETTINGS


+F012346


gt


d n pd time



EXAMPLE

BASIC TWO COLUMN ADDITION WITH COMBINED TOTAL
(12.00 + 5.00) + (3.00 + 15.00) = 35.00

ENTER DEPRESS PRINT OPERATIONAL NOTES

	<div>define</div>		
	<div>define</div>		
	<div>4</div> 4	
12	<div>+</div>		12.00 C+
3	<div>=+</div>	3.00	G+
5	<div>+</div>		5.00 +
15	<div>=+</div>	15.00	G+
	<div>*</div>		17.00 *
	<div>*</div>	18.00	G*
	<div>*</div>		35.00 CA Combined Total

SWITCH SETTINGS



EXAMPLE


AUTOMATIC ADD ON

Add 3 items costing 100, 10, 200 with a tax rate of 8.25.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.25	<div>tax</div>	8.25 C%	Rate of 8.25% stored.
100	<div>+</div>	100.00 C+	When + is pressed, printed amount automatically multiplied by stored rate, prints result left and accumulates the result in the GT Register.
10	<div>+</div>	10.00 +	
		0.83 G+	
200	<div>+</div>	200.00 +	
	<div>*</div>	16.50 G+	
	<div>*</div>	310.00 *	
	<div>*</div>	25.58 G *	
		335.58 CA	









SWITCH SETTINGS  **+F012346**

 **gt**

 **d n pd time**

EXAMPLE

VAT
Find the total for 3 items, 100, 200, 60 with -8.25% tax for each item.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.25			
		-	8.25 C% Store Tax Rate of -8.25%
100		100.00 C+	
		-7.62	G+
200		200.00 +	
		-15.24	G+
60		60.00 +	
		-4.57	G+
		360.00 *	
		-27.43	G *
		332.57 CA	

SWITCH SETTINGS  **+F012346**

 **gt**

 **d n pd time**

EXAMPLE

DISCOUNT

Add 3 items, 100, 10, and 200 with a 8.25% discount applied.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div>		
	<div>define</div>		
	<div>tax</div> - %	Defines Tax Key as Discount
8.25	<div>+/-</div>		
	<div>tax</div>	- 8.25 C%	Store tax rate of -8.25%
100	<div>+</div>	100.00 C+	
		-8.25 G+	
10	<div>+</div>	10.00 +	
		-0.83 G+	
200	<div>+</div>	200.00 +	
		-16.50 G+	
	<div>*</div>	310.00 *	
	<div>*</div>	-25.58 G *	
	<div>*</div>	284.42 CA	

Changing the UltimateX To a Time Calculator

IMPORTANT

OPERATIONAL NOTES

Moving the Time switch, changes the UltimateX into a time calculator. Entries will be accepted as hours and minutes HH.MM. Addition of HH.MM can be performed in much the same way as regular numeric entries.



When entering Hours, Minutes the decimal point key is used to separate HH.MM.

If the GT function is engaged, HH.MM will be accumulated into the GT register. The HH.MM format will be retained and the sum of all HH.MM entries presented upon the second depression of the Total key.

If the decimal equivalent of an HH.MM live entry or Total is required, it may be obtained by pressing the \diamond key. If the entry is not live or if \diamond is not pressed after the total key, the \diamond key will operate as expected. Alternatively, if Time Keep is engaged, the Dec. Equiv. key may be pressed at any time to convert HH.MM to decimal.

The x and \div keys will retain and calculate in the HH.MM format if depression of these keys has followed a live entry in HH.MM format, completed entry or total. If this is not the case, they will perform in their normal manner. For example if one needed to multiply 4 x 8, and 4 were entered without a decimal point the times key would take 4 as the first entry in multiplication. If the decimal equivalent has been calculated (the Dec. Equiv. key were depressed), depression of x or \div will act on the number as if it were not HH.MM. Note: If calculating mixed numbers, not HH.MM, the Time Calc switch must be moved to Calc.

SWITCH SETTINGS





EXAMPLE

TIME ADDITION

Add hours, minutes and convert to Decimal Equivalent. $8.35 + 4.12 + 7.47 + 8.06 + 9.15 = 37.55$ (37.91)

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.35		8 35 C+	Make sure Switch is moved to Time position.
4.12		4 12 +	
7.47		7 47 +	
8.06		8 06 +	
9.15		9 15 +	
		37 55 *	
	#	37.91	Decimal Equivalent

SWITCH SETTINGS



EXAMPLE

TIME CALCULATION

Multiply or Divide hours and minutes. (5) x 8.36, 80.35 ÷ (5)

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
5		5.00 x	
8.36		8 36 =	
		43 00 *	43 Hours, 0 Minutes
80.35		80 35 ÷	
5		5.00 =	
		16 07 *	16 Hours, 07 Minutes

Advanced

ΣM

IMPORTANT OPERATIONAL NOTES

In this section, the use of ΣM will be shown using a variety of different functions to explain the usefulness of ΣM for the UltimateX

SWITCH SETTINGS  **+F012346**

 **gt**

 **d n pd time**


EXAMPLE

INVOICE – 125 ITEMS @ \$12.50 EACH, 135 ITEMS @ \$13.50 EACH, 150 ITEMS @ \$15.00 EACH

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>8</div> <div>.....8.....</div>		Σ M sums results obtained from the = and % key, elapsed time and five definable tax keys in Memory I.
125	<div>×</div>	125.00 x	
12.5	<div>=</div>	12.50 =	
		1,562.50 C*	
135	<div>×</div>	135.00 x	
13.5	<div>=</div>	13.50 =	
		1,822.50 *	
150	<div>×</div>	150.00 x	
15	<div>=</div>	15.00 =	
		2,250.00 *	
	<div>I *</div> <div>define</div> <div>define</div> <div>8</div> <div>...8...</div>	5,635.00 M*	

SWITCH SETTINGS  **+F012346**




















 **gt**

 **d n pd time**



EXAMPLE

THE FOLLOWING EXAMPLE ILLUSTRATES ACCUMULATING HOURS AND MINUTES WORKED TO MEMORY 1.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>8</div> <div>define</div> <div>define</div> <div>■</div> <div>5</div>	<div>.....8.....</div> <div>5</div>	
8.30	<div>start</div>	8 30	
12.00	<div>+/-</div> <div>end</div>	12 00 P	
12.45	<div>+/-</div> <div>start</div>	12 45 P	
3.00	<div>+/-</div> <div>end</div>	3 00 P	
3.15	<div>+/-</div> <div>start</div>	3 15 P	
5.00	<div>+/-</div> <div>end</div> <div>elapsed</div>	5 00 P 7 30	

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
8.30		8 30	
12.00			
		12 00 P	
12.45			
		12 45 P	
3.00			
		3 00 P	
3.15			
		3 15 P	
5.00			
		5 00 P	
		7 30	
		15 00 M*	
			
			
		• • • 8 • • •	
			
			
		• • • • • • • • C	

SWITCH SETTINGS



EXAMPLE

ΣM WILL ALSO ACCUMULATE THE RESULTS OBTAINED FROM THE TAX KEYS TO MEMORY 1.
THE FOLLOWING ILLUSTRATES DEFINED TAX KEY RESULTS TO MEMORY 1.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
	<div>define</div> <div>define</div> <div>8</div> <div>define</div> <div>define</div> <div>■</div> <div>3</div>	<div>.....8.....</div> <div>3</div>	
5	<div>define</div> <div>define</div> <div>tax 1</div>	<div>1</div> <div>C%</div> <div>5.00 %</div>	
5	<div>+ / -</div> <div>define</div> <div>define</div> <div>tax 2</div>	<div>2</div> <div>C%</div> <div>5.00 %</div>	
8.75	<div>define</div> <div>define</div> <div>tax 3</div>	<div>-</div> <div>5.00 %</div> <div>3</div> <div>C%</div> <div>8.75 %</div>	
8.75	<div>+ / -</div>		Cont. on following page.

ENTER	DEPRESS	PRINT	OPERATIONAL NOTES
-------	---------	-------	-------------------

	<div>define</div>		
	<div>define</div>		
	<div>tax 4</div> 4	C%	
	-	8.75%	

105	<div>tax 3</div>	105.00 x	
		8.75 C%	
		9.19 M+	
		114.19 +%	

247	<div>tax 2</div>	247.00÷	
	-	5.00 C%	
	-	11.76 M-	
		235.24 -%	

	<div>I *</div>	-	2.57 M*
	<div>define</div>		
	<div>define</div>	• • • 8 • • •	
	<div>8</div>		
	<div>define</div>		
	<div>define</div>		
	<div>C/CE</div>	• • • • • • • • • C	

Glossary Of Features

PHYSICAL

ATTRIBUTES

Enclosed Paper Roll

Most calculators (with the exception of Monroe heavy duty models) have the paper roll mounted externally. The most expensive component of a print/display calculator is the printer. It is also the component most likely to fail, as it is an electro-mechanical mechanism. The most common cause of printer failure is dust and dirt collecting on the paper roll and falling into the print mechanism as the paper is fed through the printer. By enclosing the paper roll, Monroe protects the paper roll and by extension the life of the printer from this common cause of printer failure. If the paper roll is external, it also means paper roll holders (typically plastic) are mounted externally to hold the paper roll. It is almost certain these paper roll holders will be lost or broken during the course of use. At the very least, this design means the operator will be forced to replace paper roll holders during the life of the calculator, replace the calculator or come up with some inventive method for supporting the paper roll when the holders are lost or broken.

Another drawback to mounting the paper roll externally is the typically cluttered desk of most users. If the paper roll is lodged against a book, stack of papers or some other object on the desk, it is likely the paper cannot advance or move through the print mechanism. As most touch operators do not look at the calculator

during addition columns, such an operator would be both surprised and disappointed to look at the tape after listing a long column of figures and see a black smudge on the tape rather than the answer. Again the enclosed paper roll design eliminates this possibility. The expected life of the print mechanism is 2 million lines of print. The enclosed paper roll enhances the ability of the printer to reach its expected life.

Print Quality

There are at least three factors affecting the quality of print on the paper tape. The obvious one of course is the ribbon. The other two common factors are the paper (thickness) and the manufacturing variance of the printer (distance between the platen and print wheel). Monroe carefully selects both ribbon and paper supplies to optimize print quality. While both supply items are readily available, the quality of the ribbon and the quality of the paper vary greatly when obtained from sources other than Monroe.

Keyboard Layout

Today's calculators are descended from yesteryears mechanical adding machines. All mechanical adding machines had all adding machine controls (+, -, subtotal and total) to the right of the numeric keypad. Recalling that the most often used function of a calculator is addition and subtraction, adding machine controls must be located on the right of the numeric keypad.

Key top Size

The largest keys on the keyboard should be those used most frequently. For the calculator this certainly means the Plus Key, Minus Key, Total Key, Zero Key and Decimal Key. The actual size of these keys varies greatly from model to model and it is often what one becomes comfortable with that determines what size is large enough. Small Keys, especially those used often, hinder touch operation and therefore productivity.

Key top Shape

The shape of keys often enhances touch operation. For example, the numeric keypad (1 -9) has cupped keys. The function keys have flat surfaces enabling the operator to differentiate between the numeric keypad and the function keys by feel. The 5 key has a tiny dome in its center, much like a computer keyboard, it assists the operator in quickly locating the home key (5) and home row (4, 5 and 6).

Key top Stability

Keys with little side to side play enhance touch operation by providing a surety of touch. Excessive play on the key top or pressing key tops in locations that prohibit entry slow down or eliminate the ability to operate the calculator quickly.

Two Key Rollover

Two key rollover enhances speed in touch operation. For example, if entering the amount 12 the user may press the 1 key followed by depression of the 2 key. Both keys are pressed. Removing the index finger from the 1 key, and then removing the middle finger from the 2 key causes both 1 and 2 to be entered. The fastest

touch operators roll from the entry of keys to a function key. Two key rollover eliminates the need for pressing each key distinctly one key at a time.

Electronic Keyboard Interlocks

In the event two keys are pressed simultaneously, the key first sensed by the calculator will be entered. Normally it will be the key pressed with the greatest force. By not creating an Error (which on many calculators would require clearing) Electronic Keyboard Interlocks tries to interpret the entry and choose the most likely correct key depression.

Decimal Settings

Every calculator has one or more decimal settings. The decimal setting controls the number of decimal places desired in the total or result. The decimal selector should never limit or fix the number of decimal places contained in an entry as its function is to determine the number of entries in the total or result. If a calculator edits the number of decimal places in an entry to the decimal setting, it is violating the precept that between the operator and the calculator, the only intelligent entity is the operator. If the calculator edits entries, an operator would need to move the decimal selector to reflect the entry with the greatest number of decimal places to permit entry of all figures, and then move the decimal selector back to the desired number of decimal places in the answer before pressing the total key. That is both additional manual and mental effort.

FUNCTIONAL ATTRIBUTES

Separate Adding Machine/Calculator

Earlier in our discussion, we touched upon the basis and importance of having the adding machine controls on the right. Similarly it is important to have the calculator controls on the left (times, divide, equals etc). The separation physically between the adding machine and calculator again pertains to the intended use of the calculator, i.e. most of the work performed on the calculator will be addition and subtraction. It is also extremely important that separation exist functionally. Certain calculators use the +, -, and/or total keys as an equals key. This means that users may not add a column of figures and interrupt the addition to perform any other operation (multiplication and division for example). Inadvertent depression of the times or divide keys could clear the contents of the adding machine, thereby necessitating reentry of the column of figures.

Repeat Addition and Subtraction

This feature is standard on most calculators. It permits a user to press the plus key again (for example) to add the same number more than once. It also permits a user to touch the minus key following a depression of the plus key to correct an entry error. This feature eliminates the need to reenter like amounts when they follow each other in addition and subtraction.

Add Mode

Add mode is typically denoted on the decimal selectors of calculators as a + symbol or with an A. In Add mode, the user need not press the decimal point key when entering dollars and cents. The calculator will place the decimal point automatically, i.e., if one were to enter

1, 2, 3, then press the plus key, the calculator would accept the entry as \$1.23. The feature add mode was first developed by Monroe and was based upon the fact that mechanical adding machines did not have decimal point keys, therefore entries were accepted as dollars and cents. Add Mode on the UltimateX goes far beyond simplifying the entry of figures for addition and subtraction. Since these products are no longer simply adding machines, what happens when one performs multiplication or division when the decimal selector is in Add Mode (+) position.

- **Units/Price Mode**

One of the most common applications performed on a calculator is checking an invoice. Invoices typically are formatted in much the same way. That is, one is multiplying the number of units by a price in dollars and cents. If the decimal selector is in Add Mode, and one enters 12 touches the times key then enters 123, then equals, the calculator will automatically treat the entry of 12 as whole units and treat the second entry 123 as \$1.23. This treatment is referred to as units price mode.

- **Units/Units Mode**

Monroe UltimateX provides the default position with the other formats optional when the decimal selector is in the Add Mode position and one is performing multiplication or division. Units/Units Mode, treats both entries in multiplication or division as whole numbers, if no decimal point is entered.

- **Price/Units Mode**

As much as one wants to generalize, there are invoices where price appears first then the number of units. To facilitate this type of invoice, again the Monroe UltimateX

provides another selectable format. This format accepts the first entry as dollars and cents and the second entry as a whole number.

- **Price/Price Mode**

Typical within the trucking industry, certain invoices have fractional quantities (weight) times price. Selecting yet another format to simplify entry, the Monroe UltimateX supports price/price mode. In this format both first and second entries are accepted as 2 decimal places automatically.

Clear Add Symbol

The UltimateX prints a unique symbol on the tape called the clear add symbol if that entry was the first entry made into a clear adding machine. This symbol C+ clearly indicates to the operator or anyone auditing the tape that the adding machine was clear prior to commencing the listing of figures.

Sequential Calculation Indicators

Special audit trail symbols are provided to indicate to the operator when a chain or sequential calculation is or has been performed. Cx and C ÷ illustrate a chain calculation is being performed. These indicators are especially useful to insure correctness of results and simplify audits of results.

Calculator Mode Correction

How many times has one entered a figure, pressed the times key instead of the divide key, or vice versa. It happens often. Calculator Mode correction is a feature that permits the operator (in the sequence described above) to immediately follow the times key depression with a depression of the divide key. Doing so changes the mode from multiplication to division.

Entry Only Display

The Monroe UltimateX allows the operator a choice of seeing the entry just made in the display or the running subtotal. Showing the entry only in the display is clearly a superior audit tool, as it enables the user to quickly check the display when they feel an entry error has been made. It is also an exclusive feature to Monroe UltimateX and our other heavy duty models.

Running Subtotal Display

The operator has the choice of seeing the entry only or running subtotal in the display.

Automatic Constants

All Monroe calculators accept the first entry in multiplication and the second entry in division as an automatic constant. There are no K (constant) switches to worry about or move. For calculators with a K switch, one needs to worry about engaging it first to perform calculations with constants then disengage before adding a column of figures. This is certainly contrary to the goal of a calculator.

Group and Grand Total

GT as it is often referred to and abbreviated, enables one to add several columns of figures and get a grand total of all column totals. Certain calculators only provide the ability to achieve the total and are not capable of providing a grand subtotal. Full functionality is provided on the Monroe heavy duty models.

Crossfootting

Crossfootting is not Group and Grand Total. In crossfootting, both columns and rows are totaled. Crossfootting is a common function performed by an Excel Spreadsheet. The

Monroe UltimateX provides the ability to perform automatic crossfooting. Its matrix size is 99 columns by 99 rows. Each cell within this matrix is individually addressable.

Percent Distribution

The UltimateX provides the ability to perform automatic percent distribution when the crossfooting function is engaged. Percent distribution means that each entry made to comprise the total of a column of figures is divided by the total and expressed as a percentage of that total.

Proration

The UltimateX provides the ability to perform automatic proration when the crossfooting function is engaged. An amount can be prorated based upon its respective percentage of a total amount. In the above description of percent distribution, an amount would be divided based upon its percentage of the total.

Basic Financial Functionality

Financial functionality is ordinarily not found on desktop printing calculators. The UltimateX provides the ability to solve for Present Value, Future Value, Amount Financed, Term, Payment Amount and Interest Rate.

Real Time Clock

While some calculators provide for the display of time, very few provide the ability to calculate hours and minutes. The new UltimateX provides the ability to enter a decimal figure and convert that figure to hours and minutes, or the reverse can be performed, i.e. convert hours and minutes to decimal equivalent. It also enables the calculation of hours and minutes worked,

and can also calculate days between dates, a future or past date.

Amortization

The new UltimateX provides the ability to compute and print an Amortization schedule (entire schedule, selected month or range of months). The schedule includes the payment number, regular payment amount, amount of the payment applied to interest, principal, remaining principal balance and the amount of interest paid from the inception of the loan.

Cost/Sell/Margin

The UltimateX features one touch keys to compute Cost/Sell/Margin. Enter two variables and solve for the third.

ref # Key

The ref # key is used to place an identifying number or date on the tape to help identify a listing or calculation. Typical uses would be to enter the invoice number and date prior to checking the listing or invoice. In times past, the operator would typically write identifying numbers such as date or invoice number on the tape to link the tape to the source document.

Backspace key

The backspace key is designed to remove digits erroneously entered one digit at a time. For all Monroe calculators the back space key will perform this function on live entries (entries not completed with a depression of a function key). Since many results are used for further calculations, preventing the back space key from removing a digit saves an operator from reentry of such figures if the backspace key were inadvertently pressed.

Item Count (N-Count)

This feature counts the number of items in a column of figures or the number of lines calculated on an invoice. The UltimateX has intelligent item count, meaning the calculator knows the difference between correcting an error or an intentional addition of a negative figure. If one were to add, 1, 2, 3 and determine after entry of 3 and depression of the + key that 3 should have been 4, the operator would simply touch minus which takes out the 3. The operator could then enter 4, press plus and then total. The total is 7. The item count is 3. Certain calculators have attempted to provide intelligent item count. They may have a selection n+/- for example. This is not an intelligent item count. It increments the count for positive entries and decrements the count for negative entries. It is easy to see that this count does not reflect the actual numbers of entries legitimately made.

Automatic Averaging

From the discussion of Item count above, automatic averaging provides the ability to divide the total by the number of items to determine the average for the items. This feature is of little use, if as described above the item count is apt to be incorrect. Intelligent Item count for the UltimateX makes automatic averaging worry free.

Underflow

Underflow is a feature designed to assist the operator in obtaining the most significant result. If the decimal selector was set at 6 for example and the number of whole digits (on a 12 digit display) was 8, the decimal point would be shifted to show 8 whole digits and only 4

decimal places in the answer. If a unit were not equipped with this feature, an error would be created and the operator would have to move the decimal selector to accommodate the result.

Reverse Underflow

Very few calculators have reverse underflow. Reverse underflow means that if the result of a calculation would yield zero, when displayed at the current decimal setting, the decimal point will shift to the left to show the most significant decimal amount. For example, if the decimal selector were set at 2 and one attempted to divide 2 by 625, the answer would (for most calculators) be zero. For the Ultimate the decimal shifts to the left automatically so the actual result 0.0032 can be displayed.

Extended Capacity

The UltimateX also features Extended Capacity. Rather than deliver an error when the answer exceeds the capacity of the calculator, the UltimateX presents the answer in scientific notation. The calculation capacity of the UltimateX is 24 digits even though the capacity of the calculator is 12 digits.

Automatic Clearance, Overflow/Error

There are times when Error and Overflow conditions are created. Dividing by zero for example creates an error as it is mathematically undefined. The UltimateX automatically clears these conditions when encountered. Most calculators force the operator to clear such conditions before proceeding. Again, more manual and mental effort in such calculators.

Percent

The percent key changes an amount to a format we are more comfortable seeing.

Were we to multiply 100 by 3%, we are more comfortable entering 100, pressing the x key, then entering 3 and pressing the % key.

Alternatively we would have to enter the decimal equivalent (.03) to obtain the same result. The percent key also has additional capabilities not often included. Depression of the + or - keys immediately following the % key often yields the percent increase or percent decrease respectively automatically.

Tax Key

Similar to the Percent Key the Tax key enables us to store a tax rate and determine the effect of applying that tax to an amount automatically. Additionally, one can determine the net amount by using the Tax function. Value added taxes can also be calculated using these functions.

Mark up

Mark up is not percent increase. The formula for mark up is cost, divided by 100 minus the percent of mark up. If an article costs \$100 and we were to apply a 25% mark up, the selling price would be 133.33. From the formula we are dividing 100 by .75.

Gross Margin

In the example above, the gross margin in dollars would be \$33.33 and the gross margin percentage is 25%.

Percent Change

Percent Change is provided to assist in the determination of the percent and amount of change between two numbers. Comparing sales last month to this month for example.

Rounding

Calculators usually provide a choice between 3 types of rounding. They are normally referred to as truncate, round off and round up. To illustrate the difference, let us assume that the actual result of adding 1.444 twice is 2.888. If the decimal selector were set at 2, it would instruct the calculator to round the answer to 2 decimal places. If the rounding control were set to truncate, the answer would be 2.88 as it would ignore any digit past two decimal places and drop it. If the selector were instead set for round off (5/4) it would look at the 3rd decimal digit above and would round the answer up to 2.89 if that third digit were 5 or greater and would drop it off if it were 4 or less. If the selector were set to round up, any non-zero digit in the third decimal position would cause the answer to be rounded up, again the answer would be 2.89.

Summation X

Calculators that provide for the summation of x enable the operator to accumulate amounts preceding depression of the times key. In an invoice for example, one might want to accumulate the quantity as well as the extended amounts to check for quantity or pricing errors.

Summation of = and %

The UltimateX also provides for the ability to automatically sum the results of depressions of the = key and or the % key. This facility saves times and generally prevents the inadvertent omission of moving such amounts to the memory.

Variable Add Mode

When we discussed add mode earlier, it was

and is ordinarily in the context of adding dollars and cents. The UltimateX also has the ability to add decimal amounts other than dollars and cents. If for example we were adding fractional weights at 4 decimal places, we could add such amounts without pressing the decimal key.

Nickel Rounding

Originally designed for the European market, nickel rounding is provided for on the UltimateX. In the event the US eliminates the penny from the monetary system, nickel rounding can be selected. Doing so would round all amounts up to the nearest nickel automatically. An answer of 2.22 for example would now become 2.25.

Two Column Addition

Automatic two column addition provides the ability to add two columns of figures simultaneously. For example, if one had a stack of invoices and wanted to add the invoice amount and the amount of tax at the same time, two column addition would enable that facility. Two column addition on the UltimateX further formats the tape for right column and left column. This provides for easy audit of the tape and associates the tax amount with the invoice amount for example. The UltimateX also provides powerful automatic calculations not elsewhere seen on any calculator.

Automatic Incremental Identifier

The automatic incremental identifier is useful in numerous applications. This feature allows the user to enter a beginning number using the ref # key. Each subsequent amount added for example will be identified with an incremental number. Again a stack of invoices starting with Invoice number 101. Each addition will increment the invoice number.

Running Subtotal on the Printer

The feature enables a running subtotal to print on the tape after each entry is added. This feature is ideal for bank statement reconciliation and when combined with the feature automatic incremental identifier causes the check number, amount of the check and declining balance to print given the entry of the check amount only for example.

Paper Saver Mode

The UltimateX as a default position prints the total and advances the paper above the tear off knife where it is easily read and facilitates tearing off the paper tape. In the event one wishes to reduce the amount of spacing between totals, the paper saver mode can be set.

Change Sign

Change sign reverses the mathematical sign of the number.

Independent Memories

Most calculators have an independent memory. For a memory to be functional, it should have four keys associated with it, i.e., M+, M-, M subtotal and M total. The new UltimateX has (2) 4-key independent memories.

Currency Conversion

The UltimateX has the ability to convert 5 currencies. This includes a "home" currency with 4 others.

Automatic Tax Keys

Up to 6 tax rates may be stored on the UltimateX.

Limited Warranty

Monroe warrants to the original end user Customer that the equipment will, at the time of delivery to such Customer, be free from defects in manufacture. During the warranty claim period, which shall be 180 days from the date of original delivery to original end user Customer, Monroe will provide, based upon a verified claim under this Limited Warranty, adjustments, repairs, labor and parts to place the equipment in proper operating condition (or will provide a replacement at its sole option). This warranty does not cover supplies, consumable items, external accessories or damage resulting from accident, misuse, abuse, neglect, faulty installation, use contrary to specifications, combination with other equipment, acts of God, modification, or unauthorized repair or alteration. This Limited Warranty is valid only for equipment sold and installed in the continental United States, Alaska, and Hawaii.

THE FOREGOING SHALL BE THE SOLE AND EXCLUSIVE REMEDY WITH RESPECT TO THE EQUIPMENT. ANY CLAIM MUST BE MADE WITHIN THE APPLICABLE WARRANTY CLAIM PERIOD. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED AND STATUTORY, INCLUDING, WITHOUT LIMITATION ANY WARRANTY WITH RESPECT TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE WARRANTY CLAIM PERIOD SHALL NOT BE EXTENDED BY REASON OF A CLAIM UNDER THIS WARRANTY OR OTHERWISE. THE LIMITATIONS CONTAINED IN THIS WARRANTY ALSO APPLY TO ANY ADJUSTMENTS, REPAIRS, LABOR, PARTS AND

OR REPLACEMENTS UNDER THIS WARRANTY. MONROE SHALL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES OR FOR LOSS OF PROFITS OR OTHER ECONOMIC LOSSES OR OTHER LOSSES ARISING OUT OF OR RELATED TO EQUIPMENT WHETHER SUCH DAMAGES BE DIRECT, INDIRECT, FORESEEABLE OR OTHERWISE AND WHETHER LIABILITY IS CLAIMED TO ARISE BY REASON OF CONTRACT, TORT, STRICT LIABILITY, NEGLIGENCE, OR OTHER LEGAL THEORY. THERE DOES NOT EXIST, NOR IS ANYONE AUTHORIZED TO MAKE, ANY PROMISES, WARRANTIES OR REPRESENTATIONS NOT CONTAINED IN THIS LIMITED WARRANTY. IN NO EVENT SHALL MONROE'S LIABILITY EXCEED THE PRICE OF THE PARTICULAR PIECE OF EQUIPMENT IN QUESTION. THE MATERIAL CONTAINED HEREIN IS SUPPLIED WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND BY MONROE SYSTEMS FOR BUSINESS, INC. MONROE ASSUMES NO RESPONSIBILITY RELATIVE TO THE USE OF THIS MATERIAL AND SHALL HAVE NO LIABILITY FOR ANY DAMAGES, WHETHER DIRECT, INDIRECT, CONSEQUENTIAL, OR OTHERWISE ARISING FROM THE USE OF THIS MATERIAL OR ANY PART THEREOF.

To make a claim under this Limited Warranty please have the following information readily available (Model Number, Serial Number and Copy of your invoice), then Call or Email us at:

Phone: 888-666-7631

Email: csr@monroe-systems.com

30804940LF



Phone: 888-666-7631

Fax: 877-666-7635

Email: csr@monroe-systems.com

www.Monroe-Systems.com

© 2016. Monroe Systems for Business, Inc.

All rights reserved.

Monroe; Monroe Systems for Business; Monroe, The Calculator Company;



Are registered trademarks of Monroe Systems for Business.